

Passenger Cars Motor Oils



S High Performance Intelligence Motor Oil SAE 30 / SAE 40
API SF/CC;CCMC G2/D1;Mil-L-46152B/C;Ford M2C153-C (SF/CC);Ford M2C9011-A;GM 6085M

Shortcode: 03.03
03.04



S High Performance Intelligence Motor Oil SF/CD 15W40
SF/CD; CCMC G2/D1; Mil-L-2104C

Shortcode: 03.08



S High Performance Intelligence Motor Oil SG/CF-4 15W40
API SG/CF-4

Shortcode: 05.06



GT Synth IQ Formula 15W40
ACEA A3/B4; API SL/CF; MB-Approval 229.1

Shortcode: 05.01



S High Performance Intelligence 10W40

ACEA A3/B4;API SL/CF; Meets the requirements of;MB 229.1;VW 502.00/505.00

Shortcode: 06.30



GT Synth IQ Formula 10W40
ACEA A3/B4; API SL/CF; MB-Approval 229.1; Meets the requirements of VW 502.00/505.00

Shortcode: 06.01



GT Synth IQ Formula SL/CF 20W50
ACEA A3/B4; API SL/CF

Shortcode: 05.12



GT Synth IQ Formula 15W50
ACEA A3/B4; API SL/CF; Meets the requirements of MB 229.1

Shortcode: 05.07



GT Arctic Synth IQ Formula Synthetic 0W20

ACEA A1/B1; API SN/CF (Special formula for severe winter conditions)

Shortcode: 06.53



GT Synth IQ Formula VW 0W30

503.00/506.01 ACEA A1/B1, A5/B5; Meets the requirements of; VW 503.00/506.00/506.01

Shortcode: 06.22



GT Synth IQ Formula 0W40

ACEA A3/B4; API SN/CF Meets the requirements of MB 229.3/226.5; VW 502.00/505.00 BMW Longlife-01 Renault RN0700/RN0710 Porsche A40

Shortcode: 06.38



GT Synth IQ Formula C1 5W30

ACEA C1;Ford WSS-M2C934-B;Meets the requirements of;Jaguar Land Rover STJR.03.5005

Shortcode: 06.24

Passenger Cars Motor Oils



GT Synth IQ Formula C2 5W30

ACEA C2; API SN/CF; Meets the requirements of; Renault RN0700; Fiat 9.55535-S1

Shortcode: 06.23



GT Synth IQ Formula C4 5W30

ACEA C4; MB-Approval 226.51; Meets the requirements of; Renault RN0720

Shortcode: 06.34



GT Synth IQ Formula NF 5W30

GT Synth IQ Formula NF 5W30 ACEA C3; API SN; Approved under VW 504.00/507.00; MB-Approval 229.51; BMW Longlife-04; Porsche C30

Shortcode: 06.56



GT Synth IQ Formula 5W40

ACEA C3 API SN Meets the requirements of VW 504.00/507.00 MB 229.51 BMW Longlife-04 Porsche C30

Shortcode: 06.59



GT Synth IQ Formula 5W50

ACEA A3/B4; API SN/CF; Meets the requirements of; VW 502.00/505.00; MB 229.3; Porsche A40

Shortcode: 06.31



GT Synth IQ Formula 5W40

ACEA A3/B4; API SN/CF; Meets the requirements of; VW 502.00/505.00; MB 229.3/226.5; Porsche A40, BMW Longlife-01; GM LL-B-025; Oil meeting PSA specification B71 2296; Renault RN0700/RN0710; Fiat 9.55535-M2

Shortcode: 06.42



GT Synth IQ Formula 5W30

ACEA A3/B4 API SN/CF Meets the requirements of VW 502.00/505.00 MB 229.3/226.5 BMW Longlife-01 Renault RN0700

Shortcode: 06.21



GT Synth IQ Formula FE 5W20

API SN; ILSAC GF-5; Meets the requirements of GM Dexos 1

Shortcode: 06.65



GT Synth IQ Formula PSA 5W40

GT Synth IQ Formula PSA 5W40 ACEA A3/B4 API SN/CF Oil meeting PSA specification B71 2296 Meets the requirements of MB 229.3/226.5 VW 502.00/505.00 BMW Longlife-01 Renault RN0700/ RN0710 Porsche A40 GM LL-B-025

Shortcode: 06.72



GT Synth IQ Formula PSA 0W30

ACEA C2; Oil meeting PSA specification B71 2312 Peugeot Citroen Special

Shortcode: 06.77



GT Synth IQ Formula 5W30

ACEA C3 API SN MB-Approval 229.51/229.52 Approved under VW 502.00/505.00/505.01 Dexos 2 BMW Longlife-04

Shortcode: 06.54



GT Synth IQ Formula NF 5W30

ACEA C3; API SN; Meets the requirements of; MB 229.51/229.52; VW 502.00/505.00/505.01; Dexos 2; BMW Longlife-04

Shortcode: 06.61

Passenger Cars Motor Oils



GT Synth IQ Formula 5W40
NF ACEA C3; API SN/CF; Approved under VW 505.01; Approved under VW 502.00/505.00; MB-Approval 229.51; BMW Longlife-04; Meets the requirements of; Ford M2C917-A; Porsche A40; Renault RN0700/RN0710; Dexos 2, MB 229.31/226.5; Fiat 9.55535-S2

Shortcode: 06.04



GT Synth IQ Formula 5W40
ACEA C3; API SN/CF; Meets the requirements of; VW 505.01; VW 502.00/505.00; MB 229.51/229.31/226.5; BMW Longlife-04; Ford M2C917-A; Porsche A40; Renault RN0700/RN0710; Dexos 2; Fiat 9.55535-S2

Shortcode: 06.62



GT Synth IQ Formula ES 5W40
ACEA C3; API SN/CF; Meets the requirements of; VW 505.01; VW 502.00/505.00; MB 229.31/226.5; BMW Longlife-04; Ford M2C917-A; Porsche A40; Renault RN0700/ RN0710; Dexos 2; Fiat 9.55535-S2

Shortcode: 06.64



GT Synth IQ Formula ES 10W60
ACEA C3; API SN/CF

Shortcode: 06.66



GT Synth IQ Formula 0W30
ACEA A3/B4; API SN/CF; Meets the requirements of; MB 229.3; VW 502.00/505.00; BMW Longlife-98; Renault RN0700

Shortcode: 06.50



GT Synth IQ Formula 10W60
ACEA A3/B4; API SN/CF

Shortcode: 06.16



GT Synth IQ Formula 5W50
ACEA A3/B4; API SN/CF
Meets the requirements of MB 229.3 VW 502.00/505.00
Porsche A40

Shortcode: 06.12



GT Synth IQ Formula 5W30
ACEA C2, A5/B5; API SN;
Oil meeting PSA specification B71 2290

Shortcode: 06.83



GT Synth IQ Formula VW 0W30
ACEA A1/B1, A5/B5; Meets the requirements of; VW 503.00/506.00/506.01
VW Special

Shortcode: 06.22



GT Synth IQ Formula 5W40
ACEA A3/B4; API SN/CF; Approved under VW 502.00/505.00; Meets the requirements of; Porsche A40, BMW Longlife-01; Renault RN0700/ RN0710; GM LL-B-025; Fiat 9.55535-M2

Shortcode: 06.20



GT Synth IQ Formula 5W20
ACEA A1/B1 API SN
Ford WSS-M2C948-B
Meets the requirements of Jaguar Land Rover STJLR.03.5004

Shortcode: 06.67



GT Synth IQ Formula 5W30
ACEA C2/C3; API SN; MB-Approval 229.31/229.51/229.52; Meets the requirements of; Dexos 2

Shortcode: 06.74

Passenger Cars Motor Oils



GT Synth IQ Formula 0W30

ACEA A3/B4;API SN/CF;Meets the requirements of;MB 229.3/226.5;BMW Longlife-01;VW 502.00/505.00; Renault RN0700

Shortcode: 06.68



GT Synth IQ Formula 10W30

ACEA A3/B3
API SL/CF

Shortcode: 06.37



GT Synth IQ Formula 0W40

ACEA C3 API SN/CF
Meets the requirements of
MB 229.31/229.51
BMW Longlife-04
Dexos 2

Shortcode: 06.79



GT Synth IQ Formula 0W40

ACEA A3/B4;API SN;Meets the requirements of; MB 229.3/229.5; BMW Longlife-01; VW 502.00/505.00; Porsche A40; Renault RN0700/RN0710

Shortcode: 06.78



GT Synth IQ Formula 5W30

API SN
ILSAC GF-5
Meets the requirements of Dexos 1

Shortcode: 06.80



GT Synth IQ Formula 5W30

ACEA A1/B1, A5/B5; API SL/CF;Meets the requirements of;Ford WSS-M2C913-D; Renault RN0700

Shortcode: 06.82



GT Synth IQ Formula 5W20

ACEA C3; API SN/CF

Shortcode: 06.63



GT Synth IQ Formula 5W30

ACEA A1/B1, A5/B5; API SL/CF;Ford WSS-M2C913-D; Meets the requirements of; Renault RN0700;Jaguar Land Rover STJR.03.5003

Shortcode: 06.55



GT Synth IQ Formula 5W40

ACEA A3/B4;API SN/CF; MB Approval 229.3/229.5; Oil meeting PSA specification B71 2296; Meets the requirements of; BMW Longlife-01;VW 502.00/505.00/501.01; Porsche A40; Renault RN0700/RN0710;Opel GMLL- B-025

Shortcode: 06.75



RS Fully Racing Synthetic Cup Extreme Oil 10W60

ACEA A3/B4; API SN/CF

Shortcode: 06.71



RS Fully Racing Synthetic Cup Extreme Oil 5W50

ACEA A3/B4; API SN/CF

Shortcode: 06.76



RS Fully Racing Synthetic Cup Extreme Oil Ferrari 458 etc Oil 5W40

ACEA A3/B4
API SN/CF

Shortcode: 06.70

CARBO OIL®

When only the best will do

www.carbooil.de **GERMANY**

ON TRACK, ON THE ROAD, IN YOUR CAR. www.carbooil.de

Passenger Cars Motor Oils



**RS Fully Racing
Synthetic Cup
Extreme Oil 10W30**
ACEA A3/B4
API SN/CF

Shortcode: 06.69



Brake Fluid DOT 4
FMVSS 116 DOT 4; SAE
J1703, ISO 4925

Shortcode: 25.01



Brake Fluid DOT 3
FMVSS 116 DOT 3; SAE
J1703, ISO 4925

Shortcode: 24.01



Brake Fluid DOT 5.1
FMVSS 116 DOT 5.1; SAE
J1703, ISO 4925

Shortcode: 26.01



Heavy Goods Vehicles Motor Oils




HD Super Synthturbo SAE 40
API SF/CC
CCMC G2/D1
Mil-L-46152B/C
Ford M2C153-C (SF/CC) Ford M2C9011-A
GM 6085M
Shortcode: 03.04



HD Super Synthturbo SAE 50
API SF/CC
CCMC G2/D1
Mil-L-46152B/C
Ford M2C153-C (SF/CC)
Ford M2C9011-A
GM 6085M
Shortcode: 03.05



LKW Max Power & Torque Truck Racing & Track 15W-60
ACEA E4/E7; API CI-4
Shortcode: 10.26-R



LKW Max Power & Torque Ultra 15W-40
ACEA A3/B3, E2; API CH-4/SJ; Meets the requirements of; MB 228.1; MAN 271; Volvo VDS; Mack EO-M Plus; Cummins CES 20071/20076; Cat ECF-1-a; MTU Type 1
Shortcode: 09.04-B#



LKW Max Power & Torque Ultra 20W-40
ACEA A3/B3, E2; API CH-4/SJ; Meets the requirements of; Cummins CES 20071/20076
Shortcode: 09.07-B *



LKW Max Power & Torque Ultra 15W-40
ACEA A3/B4, E7; API CI-4/SL; MB-Approval 228.3; Volvo VDS-3, Renault VI RLD-2; Mack EO-N, MAN M 3275-1; Meets the requirements of; Cat ECF-1-a/ECF-2; Cummins CES20076/20077/20078; Deutz DQC III-10; Mack EO-M Plus, MB 229.1; MTU Type 2, Renault VI RLD; Global DHD-1
Shortcode: 10.01-B



LKW Max Power & Torque Ultra 15W-40
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; Volvo VDS-3, RVI RLD/RLD-2; Mack EO-N/EO-M Plus; Cummins CES 20076/20077/20078; MAN M 3275; Cat ECF-1-a/ECF-2; Deutz DQC III-10; MTU Type 2; Global DHD-1
Shortcode: 10.12-B



LKW Max Power & Torque Ultra 20W-50
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; Cummins CES 20076/20077/20078; Global DHD-1; Deutz DQC III-10
Shortcode: 10.04-B



LKW Max Power & Torque Ultra HS 10W-30
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; MAN M 3275; Volvo VDS-3; MTU Type 2; Mack EOM Plus; Renault VI RLD/RLD-2; Cummins CES 20076/20077/20078; Cat ECF-1-a/ECF-2; Deutz DQC III-10; ZF TE-ML 07D
Shortcode: 10.30-B



LKW Max Power & Torque Ultra HS 10W-40
ACEA A3/B4, E7; API CI-4/SL; MB-Approval 228.3/229.1; Volvo VDS-3; Mack EO-N, Renault VI RLD-2; Meets the requirements of; MAN M 3275; Mack EO-M Plus, Renault VI RLD; MTU Type 2; Cummins CES 20076/20077/20078; Caterpillar ECF-2, ECF-1-a; Global DHD-1; Deutz DQC III-1
Shortcode: 10.03-B



LKW Max Power & Torque Ultra HS 10W-40
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; MAN M 3275, Volvo VDS-3; Renault VI RLD/RLD-2, MTU Type 2; Cummins CES 20076/20077/20078; Mack EON/EO-M Plus; Global DHD-1; Cat ECF-1-a/ECF-2; Deutz DQC III-10
Shortcode: 10.15-B



LKW Max Power & Torque Fleet-force CI-4 15W-30
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3; MAN M 3275; Cummins CES 20078; Deutz DQC III-10
Shortcode: 09.18-B

Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque Fleet-force CI-4 15W-40
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; MAN M 3275; Volvo VDS-3; MTU Type 2; Mack EON/ EO-M Plus; Renault VI RLD RLD 2; Cummins CES 20076/20077/20078; Cat ECF-1-a/ECF-2; Global DHD-1; Deutz DQC III-10; ZF TE-ML 07C
Shortcode: 09.08-B



LKW Max Power & Torque Fleet-force CI-4 15W-50
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 229.1; MAN M 3275
Shortcode: 09.09-B



LKW Max Power & Torque Fleet-force CI-4 20W-50
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3/229.1
Shortcode: 09.10-B



LKW Max Power & Torque LSP +Plus 5W-30
ACEA E6/E7/E9; API CJ-4/SN; MB-Approval 228.31/228.51; MAN M 3677/M 3477/M 3271-1; Volvo VDS-4/VDS-3; Mack EO-O Premium Plus/EO-N; Renault VI RLD-3/RLD-2; Meets the requirements of; MTU Type 3.1; Renault VI RXD/RGD; Mack EO-M Plus; Cummins CES 20081, Cat ECF-3; Deutz
Shortcode: 10.29-B #



LKW Max Power & Torque NF 10W-40
ACEA E4/E7; API CI-4; Meets the requirements of; MB 228.5; Volvo VDS-3; MAN M 3377/M 3277; Global DHD-1; Renault VI RXD/RLD-2; MTU Type 3; Deutz III-05; Mack EON/EO-M Plus; Cummins CES 20078; Detroit Diesel 93K215; Cat ECF-2
Shortcode: 10.23-B



LKW Max Power & Torque NF 10W-40
ACEA E4/E7; API CI-4; MB-Approval 228.5; MAN M 3377/M 3277; Volvo VDS-3; Renault VI RLD-2; Mack EO-N; Meets the requirements of; Renault VI RXD; MTU Type 3; Deutz III-05; Mack EO-M Plus; Cummins CES 20078; Global DHD-1; Detroit Diesel 93K215; Cat ECF-2
Shortcode: 10.20-B



LKW Max Power & Torque FDL 10W-40
ACEA E4/E7; API CI-4; MB-Approval 228.5; MAN M 3277; Scania LDF-2; Volvo VDS-3; Mack EO-N, Renault VI RLD-2; Mack EO-M Plus; DAF Long Drain (approved for); Meets the requirements of; Renault VI RXD; Cummins CES 20077/20078; Deutz DQC III-10; MTU Type 3
Shortcode: 10.05-B



LKW Max Power & Torque LSP +Plus 5W-30
ACEA E4/E6/E7/E9; API CJ-4; Meets the requirements of; MB 228.31/228.51; MAN M 3677/M 3477/M 3575/M 3271-1; Volvo VDS-4, Renault VI RLD-3; Mack EO-O Premium Plus; MTU Type 3.1; Cummins CES 20081, Cat ECF-3; Deutz DQC IV-10 LA; Detroit Diesel 93K218
Shortcode: 10.34-B *



LKW Max Power & Torque LSP 10W-40
ACEA E6/E7; API CI-4; MB-Approval 228.51; MAN M 3477/M 3271-1; Volvo VDS-3; Mack EO-N, Renault VI RLD-2; DAF Long Drain (approved for); Meets the requirements of; Renault VI RXD; MTU Type 3.1; Deutz DQC III-10 LA; JASO DH-2; Cummins CES 20076/20077
Shortcode: 10.13-B



LKW Max Power & Torque LSP 10W-40
ACEA E6/E7; API CI-4; Meets the requirements of; MB 228.51; MAN M 3477/M 3271-1; Volvo VDS-3; Mack EO-N, Renault VI RXD/RLD-2; DAF Long Drain; MTU Type 3.1; Deutz DQC III-10 LA; JASO DH-2; Cummins CES 20076/20077
Shortcode: 10.22-B



LKW Max Power & Torque LSP +Plus 10W-40
ACEA E4/E6/E7/E9; API CJ-4; Volvo VDS-4, Renault VI RLD-3; MB-Approval 228.31/228.51; MAN M 3477/M 3575/M 3271-1; MTU Type 3.1; Mack EO-O Premium Plus; Deutz DQC IV-10 LA; Meets the requirements of; Cat ECF-3, Cummins CES 20081; Detroit Diesel 93K218, JASO DH-2; Sca
Shortcode: 10.31-B



LKW Max Power & Torque FDL3 10W-40
ACEA E4/E7; API CF; MAN M 3277; MB-Approval 228.5; Scania LDF-3; Volvo VDS-3; Renault VI RLD-2; Mack EO-N; Meets the requirements of; Renault VI RXD
Shortcode: 10.25-B

CARBO OIL®

When only the best will do

www.carbooil.de

ON TRACK, ON THE ROAD, IN YOUR CAR. www.carbooil.de

Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque Fleet Line LSP 5W-40

ACEA E7/E9; API CJ-4/SM; MB-Approval 228.31; MAN M 3575; Volvo VDS-4; Mack EO-O Premium Plus; Renault VI RLD-3; Meets the requirements of; Cummins CES 20081; Detroit Diesel 93K218/93K215/93K214; Cat ECF-2/ECF-3
Shortcode: 10.27-B



LKW Max Power & Torque Fleet Line LSP 10W-30

ACEA E7/E9; API CJ-4/SM; Volvo VDS-4; Mack EO-O Premium Plus; Renault VI RLD-3; Meets the requirements of; MB 228.31; MAN M 3575; Cat ECF-2/ECF-3; Cummins CES 20081; Deutz DQC III-10 LA
Shortcode: 10.33-B



LKW Max Power & Torque Fleet Line LSP 15W-40

ACEA E7/E9; API CJ-4/SM; Volvo VDS-4; Renault VI RLD-3; Mack EO-O Premium Plus; Meets the requirements of; MB 228.31; MAN M 3575; Cat ECF-2/ECF-3; Cummins CES 20081; Detroit Diesel 93K218; JASO DH-2; Global DHD-1; MTU Type 2.1; Deutz DQC III-10 LA
Shortcode: 10.11-B



LKW Max Power & Torque Fleet Line LSP 15W-40

ACEA A3/B3, E2; API CH-4/SJ; MB-Approval 228.1/229.1; Meets the requirements of; MAN 271; VW 505.00 (1/97); Volvo VDS; Mack EO-O Plus; Cummins CES 20071/20076; Cat ECF-1-a; MTU Type 1
Shortcode: 09.01



Unifleet Ultra 10W30

ACEA A3/B4-12, E7-12; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; MAN M 3275; MTU Type 2; Cummins CES 20077/20078; Cat ECF-1-a/ECF-2; Deutz DQC III-10; Global DHD-1
Shortcode: 10.10



2&4 Stroke Small Engine Motor Oils



4T Motorcycle FS 20W50
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.06



4T Super 10W40
API SL;
Meets the requirements of; JASO MA; API SG

Shortcode 12.27



4T Super 20W50
API SL;
Meets the requirements of; JASO MA; API SG

Shortcode 12.29



4T Super 25W50
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.30



4T Motorcycle HS 10W40
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.01



4T Motorcycle Synthetic 10W40
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.19



4T Motorcycle Synthetic 5W50
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.14



4T Motorcycle Synthetic 5W40
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.16



4T Motorcycle HS 20W50
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.02



4T Motorcycle HS 15W50
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.03



4T Motorcycle Synthetic 10W50
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.17



4T Motorcycle Synthetic 10W60
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.21



4T Motorcycle Synthetic 15W50
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.23



4T Motorcycle FS 5W40
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.15



4T Motorcycle FS 5W50
API SL;
Meets the requirements of; JASO MA2; JASO MA

Shortcode 12.09

CARBO OIL®

When only the best will do

www.carbooil.de GERMANY

ON TRACK, ON THE ROAD, IN YOUR BIKE. www.carbooil.de

2&4 Stroke Small Engine Motor Oils



**4T
Motorcycle
FS 10W40**
API SL;
Meets the
requirements
of; JASO MA2;
JASO MA

Shortcode
12.04



**4T
Motorcycle
FS 15W50**
API SL;
Meets the
requirements
of; JASO
MA; API SG

Shortcode
12.05



**4T
Motorcycle
FS 20W50**
API SL;
Meets the
requirements
of; JASO
MA; API SG

Shortcode
12.06



**4T
Motorcycle
FS ES 5W50**
API SL;
Meets the
requirements
of; JASO MA2;
JASO MA

Shortcode
12.24



**4T
Motorcycle
FS ES 20W50**
API SL;
Meets the
requirements
of; JASO MA2;
JASO MA

Shortcode
12.25



**Two Stroke
Ashless
2T**
NMMA (BIA)
TC-W3

Shortcode
14.01



**FS 2T Air
Cooled
2T**
API TC; JASO
FD; ISO-L-EGD;
Husqvarna;
Piaggio
Hexagon

Shortcode
13.03



**4T Racing
Polar 5W40**
Meets the
requirements
of; JASO MA2;
API SL

Shortcode
12.28



**4T
Motorcycle
FS ES 20W50**
API SL;
Meets the
requirements
of; JASO MA2;
JASO MA

Shortcode
12.25



**4T HD FS
20W50**
API SL;
Meets the
requirements
of; JASO MA2;
JASO MA

Shortcode
12.07



**Two Stroke
HS
(Low Smoke)
2T**
API TC; JASO
FD; ISO-L-EGD;
Global GD;
Husqvarna
272;
2-Stroke DFI

Shortcode
13.02



**FS 2T Air
Cooled Low
Viscosity
2T**
API TC+; JASO
FD (Low Smoke);
ISO-L-EGD;
Husqvarna
226/Chainsaw;
Piaggio
Hexagon; TISI

Shortcode
13.13



**Two Stroke
ZTT
2T**
API TC

Shortcode
13.01



**Mineral
Budget Two
Stroke
2T**
API TC

Shortcode
13.06



**FS 2T Racing
2T**
API TC; JASO
FD; ISO-L-EGD;
Husqvarna;
Piaggio
Hexagon

Shortcode
13.12

CARBO OIL®

When only the best will do

www.carbooil.de GERMANY

AT SEA, ON THE RIVER, IN YOUR BOAT. www.carbooil.de

Marine Series Engine Oils

OUTBOARD RANGE



4T Marine Outboard 10W30

Meets the requirements of NMMA FC-W

Shortcode 14.02



4T Marine Outboard 25W40

Meets the requirements of NMMA FC-W

Shortcode 14.03



4T Marine Outboard 10W30

Meets the requirements of NMMA FC-W

Shortcode 14.02

SKIPPER RANGE



HD Skipper Marine 2540

Meets the requirements of API CF Mil-L-2104C

Shortcode 04.05



HD Skipper Marine 2040

Meets the requirements of API CF Mil-L-2104C

Shortcode 04.05



HD Skipper Marine 1640

Meets the requirements of API CF Mil-L-2104C DEF STAN 91-22/2

Shortcode 04.02



HD Skipper Marine 830

Meets the requirements of API CC Mil-L-2104A DEF 2101D

Shortcode 02.01



HD Skipper Marine 840

Meets the requirements of API CF Mil-L-2104C DEF 2101D

Shortcode 02.02



HD Skipper Marine 1230

Meets the requirements of API CF Mil-L-2104C DEF STAN 91-22/2

Shortcode 03.01



HD Skipper Marine Xtra 1240

Meets the requirements of API CF Mil-L-2104C DEF STAN 91-22/2

Shortcode 03.02



HD Skipper Marine HMS-1200 - 15W40

Meets the requirements of API CF Mil-L-2104C

Shortcode 03.03

CAPTAIN RANGE



HD Captain Marine 7050

No data

Shortcode 07.03



HD Captain Marine 6040

No data

Shortcode 06.06



HD Captain Marine 4050

Meets the requirements of API CD

Shortcode 06.02



HD Captain Marine 4040

Meets the requirements of API CD

Shortcode 06.01



HD Captain Marine 3030

Meets the requirements of API CF Mil-L-2104C

Shortcode 05.01

TRANSMISSION FLUIDS



Gear Oil 90
API GL-1
Shortcode: 15.02



Gear Oil 140
API GL-1
Shortcode: 15.03



MP Gear Oil 90
API GL-4;Mil-L-2105;Meets the requirements of;ZF TE-ML 16A/17A/19A;MB 235.1
Shortcode: 16.07



MP Gear Oil 140
API GL-4;Mil-L-2105
Shortcode: 16.08



Export Gear Oil 80W90 GL-4
API GL-4
Shortcode: 16.10



HD Gear Oil HS 75W90
API GL-4/5; Mil-L-2105; Meets the requirements of; VW 501.50
Shortcode: 18.01



Semi Synthetic 75W90 GL-5
API GL-5; Mil-L-2105D; Meets the requirements of; ZF TE-ML 07A/17B
Shortcode: 17.17



Super Gear Oil 85W90
API GL-5;Mil-L-2105D; MAN 342 Typ M1; Meets the requirements of; ZF TE-ML 07A/16B/17B/19B/21A; MB 235.0
Shortcode: 17.09



Super Gear Oil 90
API GL-5;Mil-L-2105D; MAN 342 Typ M1; Meets the requirements of; ZF TE-ML 07A/16B/17B/19B/21A; MB 235.0
Shortcode: 17.05



Export Gear Oil 80W90 GL-5
API GL-5
Shortcode: 16.11



Uni Gear 85W140 LD/LS
API GL-4/GL-5/MT-1; Mil-L-2105A/B/C/D/E, Mil-L-PRF-2105E; Meets the requirements of; MAN 341 Typ Z2/E2, MAN 342 Typ M2; Scania STO 1.0;ZF TE-ML 05C/07A/08/12C/16E
Shortcode: 20.04



ATF 289
GM Dexron IID; MB-Approval 236.7; MAN 339 Typ Z1; Meets the requirements of; ZF TE-ML 09/11A/14A; Allison C4; Ford SQM-2C9010-A; Voith G607; Cat TO-2; Renk; Ford M2C138-CJ/166-H; Mercon
Shortcode: 21.01



ATF II D
Meets the requirements of; Dexron IID;MAN 339 Type Z1/V1; Allison C4; ZF TE-ML 03D/09B/11A/14A; Voith 55.6335; MB 236.1; Cat TO-2
Shortcode: 21.13



ATF DMM
Dexron IIG (performance level IIG); MB-Approval 236.1; MAN 339 Typ Z1/V1;ZF TE-ML 04D/14A; Allison C4; Meets the requirements of; Ford Mercon; Cat TO-2; ZF TE-ML 02F/03D/09/11B/17C; Voith 55.6335; Volvo 97341
Shortcode: 21.02

TRANSMISSION FLUIDS



ATF VI

Meets the requirements of; Dexron VI; Mercon LV; MB 236.1/236.5/236.7/236.8/236.9/236.4 1; VAG G-055-025/G-052-162; ZF 5HP 18FL/19FL/24A/30/ 4HP 20; Aisin Warner JWS 3309/3324/IV; BMW ETL-7045/7045E/8072B/LA2634/ Mini JWS 3309; Chrysler Dodge Mopar AS68RC (Type IV)
Shortcode: 21.12



ATF 7G

Meets the requirements of; Allison C4, Chrysler ATF+3; Dexron II/IIID/IIIE/IIIG/IIIH, Ford WSS-M2C922-A1; Honda ATF-Z1, Hyundai/Kia SP-II/SP-III/ SP-IV; Isuzu ATF II/III, Jaguar JLM 20238/20292/21044; JASO M315 Type 1A; Mazda M-III/Type TIV, JWS 3309; MB 236.10/23 Shortcode: 21.20



ATF JP

Meets the requirements of; Toyota ATF T-III/T-IV/DII/ WS; Nissan Matic Fluid C/D/J/ K; Honda ATF-Z1 (except in CVT's); Mazda ATF M-V; Hyundai/Kia SP-II/SP-III; Suzuki ATF 3314; Subaru ATF/ATF 5AT/ATF HP/Dexron II; GM Dexron IID/IIIE/IIIG/IIIH, TASA; Ford Mercon/M2C Shortcode: 21.09



ATF Long Life

Meets the requirements of; Dexron IID/IIIG/IIIH; MB 236.1/23 6.5/236.6/236.7/236.9/236.10; ZF TE-ML 02F/03D/04D/09/11A/11B /14A/14B/16L/17C; MAN 339 Typ Z1/V1/Typ Z2/V2; Allison C4/TE-389; Volvo 97340/97341; Voith 55.6335/55.6336; Cat TO-2 Shortcode: 21.18



MULTI Double Clutch Transmission Fluid

Meets the requirements of; VW G-052-529/G-052-182; BMW, Ford WSS-M2C936-A; MB 236.21, Mitsubishi Dia-Queen SSTF-1; PSA, Porsche; Volvo 1161838/1161839
Shortcode: 33.03



MULTI CVT Fluid

Meets the requirements of; Toyota CVTF TC/FE, Nissan NS-1/NS-2/NS-3; Honda HMMF/HCF2, Mitsubishi SP-III/CVTFJ1; Subaru ECVT/iCVT, Daihatsu Ammix CVT; Suzuki CVTF TC/NS-2/CVT Green 1; Hyundai SP-III, Chrysler Jeep NS-2; BMW Mini 83220136376/83220429159; MB 236.2
Shortcode: 33.02



ATF III H

Meets the requirements of; Dexron IIIH; Ford Mercon; MAN 339 Typ Z1/V1; Allison C4/TE-389; ZF TE-ML 09B/11B/14A; Voith 55.6335; MB 236.1/236.5; Volvo 97341; Cat TO-2
Shortcode: 21.14



ATF Multi

Meets the requirements of; Ford Mercon V; Allison C4; MAN 339 Typ V1/V2; Volvo 97341; ZF TE-ML 04D/14B/16L; JASO 1-A; Voith 55.6335
Shortcode: 21.17