

New Products for 2024/25

Passenger Cars Motor Oils



GT Synth IQ Formula 10W40
ACEA A3/B3, A3/B4-08
API SL/CF
MB 229.1
VW 501.01/505.00
Part no: 06.02



GT Synth Hi Power Pro 10W40
API SL/CF
ACEA A3/B4
BMW Longlife-98
MB 229.1
VW 501.01/505.00
Part no: 80.13



GT Synth IQ Formula SN/CF 10W40
ACEA A3/B4
API SN/CF
BMW Longlife-98
MB 229.1
VW 501.01/505.00
Part no: 06.90



GT Synth IQ Formula 10W40
ACEA A3/B4
API SN/CF
MB 229.3
PSA B71 2300
Renault RN0700 / RN0710
VW 501.01 / 505.00
Part no: 06.30



GT Synth Hi Power Pro 10W40
API SN/CF
ACEA A3/B4
BMW Longlife-98
MB 229.1
VW 501.01/505.00
Part no: 80.04



GT Specialsynth S 10W40
API SP
Part no: 40.15

**NEW
PRODUCT
2024/25**



GT Synth Hi Power Pro 10W40
ACEA A3/B4
API SN/CF
BMW Longlife-98
MB 229.1
VW 501.01/505.00
Part no: 80.15



GT Specialsynth S 5W30
API SP Resource Conserving
ILSAC GF-6A
Part no: 40.13

**NEW
PRODUCT
2024/25**



GT Synth IQ Formula 5W30
ACEA A3/B4
API SN/CF
BMW Longlife-98
MB 229.1
VW 501.01/505.00
Part no: 06.94

New Products for 2024/25

Passenger Cars Motor Oils



GT Synth IQ Formula 5W30

ACEA A5/B5
API SL/CF
Ford WSS-M2C913-A/B
Part no: 06.60



GT Synth Hi Power Pro 5W30

ACEA C2, C3
API SN
BMW Longlife-04
GM dexos 2
MB 229.51/229.52
Porsche C30 VW 505.01
Part no: 80.09



GT Synth IQ Formula 5W30

ACEA A3/B4 API SH/CF
BMW Longlife-01
MB 229.3/226.5
Renault RN0700
VW 502.00/505.00
API SN/CF *)

*) API SN quality only; not-licensable due to phosphorus-limit
Part no: 06.21



GT Synth IQ Formula 5W30

ACEA A5/B5, A1/B1
API SL/CF
Meets the requirements of:
Ford WSS-M2C913-D
Jaguar Land Rover STJLR.03.5003
Renault RN0700
VW VWC 53036
Part no: 06.55



GT Specialsynth D 5W30

ACEA C2, C3
API SP
BMW Longlife-04
MB 229.31 / 229.51 / 229.52
Opel OV 040 1547 - D30 / G30
GM dexos 2
VW 505.00 / 505.01
Part no: 40.16

NEW PRODUCT 2024/25



GT Synth Hi Power Pro 5W30

ACEA C3
API SN
BMW Longlife-04
MB 229.31/229.51
Porsche C30
VW 504.00/507.00
Part no: 80.10



GT Synth IQ Formula NF 5W30

ACEA C3
API SP
BMW Longlife-04
Fiat 9.55535-S1
GM dexos 2
MB 229.31 / 229.51 / 229.52
Opel OV 040 1547 - D30 / G30
Part no: 06.61



GT Synth IQ Formula 5W30

API SP Resource Conserving
ILSAC GF-6A
Meets the requirements of:
GM dexos 1 Gen 3 Opel OV 040 1547 - G30
Chrysler MS 6395 Fiat 9.55535-CR1
Ford WSS-M2C946-A/B1 / M2C961-A1 / M2C929-A
GM 6094M / 4718M VW VWC 53034
Part no: 06.07



GT Synth Hi Power Pro 5W30

ACEA C3
API SN
BMW Longlife-04
MB 229.31/229.51
Porsche C30
VW 504.00/507.00
Part no: 80.17

New Products for 2024/25

Passenger Cars Motor Oils



GT Synth IQ Formula 5W30
ACEA **C2 C3**
API SP
PSA B71 2290
Meets the requirements of:
MB 229.31 / 229.51 / 229.52 / 226.52
Renault RN17 / RN0700 / RN0710
Part no: 06.83



GT Synth IQ Formula 5W30
ACEA **C2 C3**
API SP
BMW Longlife-04
GM dexos 2
MB 229.31 / 229.51 / 229.52
Opel OV 040 1547 - D30 / G30
VW 505.00 / 505.01
Part no: 06.85



GT Synth IQ Formula C2 5W30
ACEA **C2**
API SN/CF
Fiat 9.55535-S1
Renault RN0700
Part no: 06.23



**GT Specialsynth
Extendo 5W30**

**NEW
PRODUCT
2024/25**

API SN
Approved under VW 504.00 / 507.00
Meets the requirements of:
BMW Longlife-04
MB 229.51 / 229.31
Porsche C30
Part no: 40.18



GT Synth IQ Formula 5W30
ACEA **C2, C3**
API SP
BMW Longlife-04
MB-Approval 229.51 / 229.52 / 229.31
Meets the requirements of:
Opel OV 040 1547 - D30 / G30
GM dexos 2
VW 505.00 / 505.01
Part no: 06.74



GT Synth IQ Formula 5W30
ACEA **C3**
API SN, API SN Plus
MB-Approval 229.31 / 229.51 / 229.52
BMW Longlife-04
Meets the requirements of:
GM dexos 2
Opel OV 040 1547 - D30 / G30
VW 505.00 / 505.01
Part no: 06.54



GT Synth IQ Formula 5W30
ACEA **C3**
API SP
BMW Longlife-04
MB 229.31 / 229.51 / 229.52
Opel OV 040 1547 - D30 / G30
Porsche C30
VW 504.00 / 507.00
Part no: 06.59



GT Synth IQ Formula C1 5W30
ACEA **C1**
Jaguar Land Rover STJLR.03.5005
Meets the requirements of:
Ford WSS-M2C934-B
Part no: 06.24



GT Synth IQ Formula C4 5W30
ACEA **C3, C4**
MB-Approval 229.51
Meets the requirements of:
MB 226.51
Renault RN0720
Part no: 06.34

New Products for 2024/25

Passenger Cars Motor Oils



GT Synth IQ Formula NF 5W30
 ACEA **C3**
 API SP
 Approved under VW 504.00 / 507.00
 MB-Approval 229.51 / 229.52
 BMW Longlife-04
 Porsche C30
 Meets the requirements of: MB 229.31
 Opel OV 040 1547 - D30 / G30
 Part no: 06.56



GT Synth IQ Formula 5W40
 ACEA A3/B4
 API SN/CF
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 06.95



GT Specialsynth S 5W40
 API SP
 Part no: 40.14



GT Synth Hi Power Pro 5W40
 ACEA C3
 API SN
 BMW Longlife-04
 MB 229.51
 VW 505.01
 Part no: 80.16



GT Synth IQ Formula 5W40
 ACEA A3/B4 API SN/CF
 BMW Longlife-01
 Fiat 9.55535-M2 GM LL-B-025
 MB 229.3 / 226.5
 Porsche A40
 PSA B71 2296
 Renault RN0700 / RN0710
 VW 502.00 / 505.00
 Part no: 06.42



GT Synth Hi Power Pro 5W40
 ACEA C3
 API SN
 BMW Longlife-04
 MB 229.51
 VW 505.01
 Part no: 80.06



GT Synth IQ Formula 5W40
 ACEA A3/B4 API SN/CF
 Meets the requirements of:
 MB 229.3 / 226.5
 Renault RN0700 / RN0710
 VW 502.00 / 505.00
 BMW Longlife-01 Fiat 9.55535-M2
 GM LL-B-025 Porsche A40
 PSA B71 2296
 Part no: 06.20



GT Synth IQ Formula 5W40
 ACEA **C3**
 API SN, API SN Plus
 BMW Longlife-04
 MB 229.51 / 229.52
 VW 505.00 / 505.01
 Ford M2C917-A
 Part no: 06.62



GT Synth IQ Formula 5W40
 ACEA A3/B4 API SN/CF
 Meets the requirements of:
 MB 229.5 / 229.3 / 226.5
 Opel GM-LL-B-025
 Porsche A40
 PSA B71 2296
 Renault RN0700 / RN0710
 VW 502.00 / 505.00 / 501.01
 Part no: 06.75

New Products for 2024/25

Passenger Cars Motor Oils



GT Synth IQ Formula 5W40 NF
ACEA C3
 API SN, API SN Plus
 BMW Longlife-04
 MB-Approval 229.51
 Meets the requirements of:
 MB 229.31 / 229.52
 VW 505.00 / 505.01
 Ford M2C917-A
 Part no: 06.04



GT Specialsynth ES 5W40
ACEA C3
 ACEA C3
 API SN/CF
 BMW Longlife-04
 Fiat 9.55535-S2
 Ford M2C917-A
 GM dexos 2
 MB 229.31/226.5
 Renault RN0700/RN0710
 VW 505.00/505.01
 Part no: 06.64



GT Specialsynth X 5W40
ACEA C3 API SN
 Meets the requirements of:
 BMW Longlife-04
 MB 229.52 / 229.51 / 229.31
 Porsche C40
 VW 511.00 GM dexos 2
 Renault RN0700 / RN0710
 Part no: 40.03
 4

NEW PRODUCT 2024/25



GT Synth IQ Formula 0W30
 Performance level
ACEA C2, A5/B5
 API SP
 Part no: 06.51



GT Synth IQ Formula 0W30
ACEA A3/B4
 API SH/CF
 BMW Longlife-01
 MB 229.3/226.5
 Renault RN0700
 VW 502.00/505.00
 API SN/CF *)
 *) API SN quality only; not-licensable due to phosphorus-limit
 Part no: 06.68



GT Synth IQ Formula 0W30
ACEA A3/B4 API SH/CF
 BMW Longlife-01 MB 229.3/226.5
 Renault RN0700
 VW 502.00/505.00 API SN/CF *)
 *) API SN quality only; not-licensable due to phosphorus-limit
 Part no: 06.50



GT Synth IQ Formula 0W30
ACEA A5/B5
 API SL
 Volvo VCC 95200377
 Part no: 06.52



GT Specialsynth NF 0W30
ACEA C3
 API SN/CF
 BMW Longlife-04
 MB 229.31/229.51/229.52
 Renault RN0700/0710
 Part no: 40.05

NEW PRODUCT 2024/25



GT Synth IQ Formula 0W30
ACEA C2
 Ford WSS-M2C950-A
 Jaguar Land Rover STJLR.03.5007
 Meets the requirements of:
 VW VVC 53035
 Part no: 06.05

New Products for 2024/25

Passenger Cars Motor Oils



GT Synth IQ Formula VW 0W30
ACEA C3
 Approved under VW 504.00 / 507.00
 BMW Longlife-04
 MB-Approval 229.51
 Meets the requirements of:
 MB 229.52 / 229.31
 Porsche C30
 Part no: 06.44



GT Synth IQ Formula PSA 0W30
ACEA C2
 API SP
 PSA B71 2312
 Meets the requirements of:
 PSA B71 2302
 Fiat 9.55535-GS1 / DS1
 Part no: 06.77



GT Synth IQ Formula 0W30
ACEA C2, A5/B5
 API SP Resource Conserving
 ILSAC GF-6A BMW Longlife-12 FE
 MB-Approval 229.61
 Meets the requirements of:
 DTFR 15D100
 Ford WSS-M2C950-A
 MB 227.61 VW VWC 53035
 Part no: 06.99



GT Specialsynth X 0W40
ACEA C3
 API SN
 BMW Longlife-04
 GM dexos 2
 MB 229.52 / 229.51 / 229.31
 Porsche C40
 Renault RN0700 / RN0710
 VW 511.00
 Part no: 40.17

NEW PRODUCT 2024/25



GT Synth IQ Formula 0W40
ACEA A3/B4
 API SN/CF
 BMW Longlife-01
 MB 229.3/226.5
 Porsche A40
 Renault RN0700/RN0710
 VW 502.00/505.00
 Part no: 02.01



GT Synth IQ Formula 0W40
ACEA A3/B4
 API SN/CF
 BMW Longlife-01
 MB 229.3/226.5
 Porsche A40
 Renault RN0700/RN0710
 VW 502.00/505.00
 Part no: 06.38



GT Synth IQ Formula 0W40
ACEA A3/B4 API SN
 Meets the requirements of:
 BMW Longlife-01
 Ford WSS-M2C937-A
 MB 229.3 / 229.5
 Porsche A40
 Renault RN0700/RN0710
 VW 502.00/505.00
 Part no: 06.78



GT Synth IQ Formula 0W20
 API SP Resource Conserving
 ILSAC GF-6A
 Meets the requirements of:
 GM dexos 1 Gen 3
 Chrysler MS 6395
 Fiat 9.55535-CR1
 Ford WSS-M2C947-A/B1 / WSS-M2C962-A1
 GM 6094M
 Part no: 06.09



GT Arctic Synth IQ Formula Synthetic 0W20
ACEA A1/B1
 API SH/CF
 API SN/CF *)
 *) API SN quality only; not-licensable due to phosphorus-limit
 Part no: 06.53



New Products for 2024/25

Passenger Cars Motor Oils



GT Synth IQ Formula 0W20
 ACEA C5,
 API SP
 Volvo VCC RBS0-2AE
 Part no: 06.89



GT Specialsynth P 0W20
 ACEA C5, C6
 API SP
 Meets the requirements of:
 PSA B71 2010
 Part no: 40.19

**NEW
 PRODUCT
 2024/25**



GT Specialsynth OV 0W20
 ACEA C5, C6 API SP Resource Conserving
 ILSAC GF-6A Jaguar Land Rover
 STJLR.03.5006 Volvo VCC RBS0-2AE
 Meets the requirements of:
 Ford WSS-M2C947-B1 / WSS-M2C962-A1
 MB 229.71 / 229.72
 Opel OV 040 1547 - A20
 Chrysler MS-12145
 Fiat 9.55535-GSX
 Part no: 40.04

**NEW
 PRODUCT
 2024/25**



GT Specialsynth P 0W20
 ACEA C5, C6
 API SP
 Jaguar Land Rover STJLR.03.5006
 Meets the requirements of:
 GM dexos D
 Ford WSS-M2C952-A1
 MB 229.71
 Opel OV 040 1547 - A20
 Part no: 40.09

**NEW
 PRODUCT
 2024/25**



GT Synth IQ Formula 0W20
 ACEA C5, C6 API SP Resource Conserving
 ILSAC GF-6A BMW Longlife-17 FE+
 Jaguar Land Rover STJLR.03.5006
 MB-Approval 229.71 / 229.72
 Meets the requirements of:
 Ford WSS-M2C947-B1 / WSS-M2C962-A1
 Opel OV 040 1547 - A20
 Chrysler MS-12145 Fiat 9.55535-GSX
 Part no: 06.82



GT Specialsynth Extendo NF 0W20
 ACEA C5
 Approved under VW 508.00/509.00
 Meets the requirements of:
 Porsche C20
 Part no: 40.08

**NEW
 PRODUCT
 2024/25**



GT Specialsynth R 0W20
 ACEA C5
 Meets the requirements of:
 Renault RN17 FE
 Part no: 40.01

**NEW
 PRODUCT
 2024/25**



GT Synth IQ Formula 5W20
 API SP Resource Conserving
 ILSAC GF-6A GM dexos 1 Gen 3
 Chrysler MS 6395
 Fiat 9.55535-CR1
 Ford WSS-M2C945-A/B1 / WSS-M2C960-A1
 GM 6094M
 Part no: 06.08



GT Synth IQ Formula 5W20
 ACEA C5
 API SP
 Ford WSS-M2C948-B
 Meets the requirements of:
 Jaguar Land Rover STJLR.03.5004
 Part no: 06.67

New Products for 2024/25

Passenger Cars Motor Oils



GT Synth IQ Formula 15W40
API SF/CC
CCMC G2/D1
Part no: 04.03



GT Synth IQ Formula 15W40
ACEA A3/B4
API SL/CF
MB 229.1
VW 501.01/505.00
Part no: 06.33



GT Synth IQ Formula 15W40
ACEA A3/B4
API SN/CF
MB 229.1
VW 501.01/505.00
Part no: 05.01



GT Specialsynth S
10W30
API SP Resource Conserving
ILSAC GF-6A
Part no: 40.12

NEW
PRODUCT
2024/25



GT Synth IQ
Formula 20W50
ACEA A3/B4
API SL/CF
MB 229.1
VW 501.01/505.00
Part no: 05.12



GT Synth IQ Formula 20W50
API SF/CC
CCMC G2/D1
Part no: 04.05



GT Synth IQ Formula
10W30
ACEA A3/B3
API SL/CF
MB 229.1
API SM/CF *)
*) API SM quality only; not-licensable
due to phosphorus-limit
Part no: 06.49



GT Synth IQ Formula 10W30
ACEA A3/B3
API SL/CF
Part no: 06.37



GT Synth IQ Formula 10W30
ACEA A3/B4
API SH/CF
VW 502.00/505.00
API SN/CF *)
*) API SN quality only; not-licensable
due to phosphorus-limit
Part no: 06.84

New Products for 2024/25

Passenger Cars Motor Oils



GT Synth IQ Formula 15W50
API SF/CC
CCMC G2/D1
Part no: 04.04



GT Synth IQ Formula 15W50
ACEA A3/B4
API SL/CF
MB 229.1
VW 501.01/505.00
Part no: 05.07



GT Synth IQ Formula 5W50
ACEA A3/B4
API SN/CF
MB 229.3
Porsche A40
VW 502.00/505.00
Part no: 06.31



**RS Fully Racing Synthetic
Cup Extreme Oil 5W50**
ACEA A3/B4
API SN/CF
Part no: 06.76



GT Fully Synthetic IQ Formula 5W50
ACEA A3/B4
API SN/CF
MB 229.3
Porsche A40
VW 502.00/505.00
Part no: 06.12



GT Synth IQ Formula 5W50
ACEA A3/B4
API SN/CF
MB 229.3
Porsche A40
VW 502.00/505.00
Part no: 06.87



GT Synth IQ Formula 10W60
ACEA C3
API SN/CF
Part no: 06.66



GT Fully Synthetic IQ Formula 10W60
ACEA A3/B4
API SN/CF
Part no: 06.16



**RS Fully Racing Synthetic
Cup Extreme Oil 10W60**
ACEA A3/B4
API SN/CF
Part no: 06.71



New Products for 2024/25

Passenger Cars Motor Oils



Racing Oil 10W50
 ACEA A3/B4
 API SN/CF
 Part no: 40.11
 4



GT Specialsynth 0W8
 JASO GLV-1
 Part no: 40.10

NEW PRODUCT 2024/25



GT Synth IQ Formula NF 0W16
 API SP Resource Conserving
 ILSAC GF-6B
 Part no: 06.88



S High Performance Intelligence SAE 50
 API SF/CC
 CCMC G2/D1
 MIL-L-46152B/C
 Ford M2C153-C (SF/CC)
 Ford M2C9011-A
 GM 6085M
 Part no: 03.05



S High Performance Intelligence SAE 40
 API SF/CC
 CCMC G2/D1
 MIL-L-46152B/C
 Ford M2C153-C (SF/CC)
 Ford M2C9011-A
 GM 6085M
 Part no: 03.04



S High Performance Intelligence SAE 30
 API SF/CC
 CCMC G2/D1
 MIL-L-46152B/C
 Ford M2C153-C (SF/CC)
 Ford M2C9011-A GM 6085M
 Part no: 03.03



Brake Fluid DOT 4 RACING
 FMVSS 116 DOT 4
 SAE J1703, ISO 4925
 Part no: 25.01



Brake Fluid DOT 4
 FMVSS 116 DOT 4
 SAE J1703, ISO 4925
 Part no: 25.01

Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque Ultra HS 10W-40

ACEA A3/B4, E7 API CI-4 / SL Cat ECF-1-a / ECF-2, Cummins CES 20077 / 20078
Detroit Diesel 93K215, Deutz DQC III-18
DTFR 15B110 Global DHD-1, JASO DH-1
Mack EO-N MAN M 3275, MB 228.3 MTU
Type 2 Renault VI RLD-2, Volvo VDS-3 ZF
04C / 05K / 07C / 07D / 21K
Part no: 10.15



LB Truck Line LSP 10W40

ACEA E7, E9, E11; API CK-4 / SN
Cat ECF-3; Cummins CES 20086
Detroit Diesel 93K222; Deutz DQC III-18
LA; DTFR 15C100; Ford WSS M2C171-F1
JASO DH-2; Mack EOS-4.5; MAN M 3775
MB 228.31; MTU Type 2.1; Renault VI
RLD-3; Volvo VDS-4.5
Part no: 43.02



LKW Max Power & Torque LSP 10W-40

ACEA E6, E7, E8, E9, E11; API CI-4
Cat ECF-1; Cummins CES 20076 /
20077; DAF Extended Drain
Deutz DQC IV-18 LA; DTFR 15C110
Iveco 18-1804 TLS E9 / M 3271-3
JASO DH-2; Mack EO-N; MAN M 3477 /
M 3271-1; MB 228.51; MTU Type 3.1
Renault VI RLD-2 / RXD / RGD
Volvo VDS-3
Part no: 10.22



LB Turbosynth NF 10W40

ACEA E4, E7; API CI-4; Cummins
CES 20078 / 20077; Deutz IV-18;
DTFR 15B120; Mack EO-N; MAN
M 3277; MB 228.5; MTU Type 3;
Renault VI RLD-2; Scania LDF-3;
Volvo VDS-3
Part no: 43.05



LKW Max Power & Torque LSP 10W-40

ACEA E6, E7, E8, E9, E11; API CI-4;
Deutz DQC IV-18 LA; Mack EO-N;
DTFR 15C110 (228.51); NATO-code
O-1180, TL 9150-0107/4; Renault VI
RLD-2; Volvo VDS-3; Meets the re-
quirements of: Cat ECF-1; Cummins
CES 20076 / 20077; JASO DH-2; MAN
M 3477 / M 3271-1 / M 3271-3
MB 228.51; MTU Type 3.1; DAF Ex-
tended Drain; Iveco 18-1804 TLS E9;
Renault VI RXD / RGD
Part no: 10.13



LKW Max Power & Torque Ultra HS 10W-40

ACEA A3/B4, E7 API CI-4 / SL DTFR 15B110
(228.3), Mack EO-N, Renault VI RLD-2 Volvo
VDS-3, Meets the requirements of: Cat ECF-
1-a / ECF-2, Cummins CES 20077 / 20078 De-
troit Diesel 93K215, Deutz DQC III-18 Global
DHD-1 JASO DH-1, MAN M 3275 MB 228.3
MTU Type 2, ZF 04C / 05K / 07C / 07D / 21K
Part no: 10.03



LKW Max Power & Torque LSP 10W-40

ACEA E6, E7, E8, E9, E11; API CK-4
Deutz DQC IV-18 LA; DTFR 15C110
(228.51); Mack EOS-4.5; Renault VI RLD-
3; Volvo VDS-4.5; Meets the require-
ments of: Cat ECF-3; Cummins CES
20086; Detroit Diesel 93K222
DTFR 15C120 / 15C100; JASO DH-2
MAN M 3477 / M 3775; MB 228.51 /
228.52 / 228.31; MTU Type 3.1; DAF
Extended Drain; Iveco 18-1804 TLS E9
Part no: 10.38



LKW Max Power & Torque NF 10W-40

ACEA E4, E7; API CI-4; Mack EO-N
Renault VI RLD-2; Scania LDF-3
Volvo VDS-3; Meets the requirements of:
Cummins CES 20078 / 20077
Deutz IV-18; DTFR 15B120
MAN M 3277; MB 228.5; MTU Type 3
Part no: 10.20



LKW Max Power & Torque 5W20

ACEA E4, E6, E7, E8, E9, E11; API CK-4;
Mack EOS 4.5; Renault VI RLD-3; Volvo
VDS-4.5; Meets the requirements of: Cat
ECF-3; Cummins CES 20086 / 20081; DAF
Extended Drain; Detroit Diesel 93K222;
Deutz DQC IV-18 LA; DTFR 15C110 /
15C120 / 15C100; JASO DH-2; MAN M
3775 / M 3477 / M 3271-1; MB 228.51 /
228.52 / 228.31; MTU Type 3.1 / 2.1
Scania Low Ash
Part no: 43.03

Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque Ultra 5W-30
 API FA-4/SN
 MB-Approval 228.61
 Meets the requirements of: Cummins CES 20087
 Detroit Diesel DFS 93K223; JASO DH-2
 Part no: 10.08



LKW Max Power & Torque 5W20
 Scania LDF-5
 Meets the requirements of:
 MAN M 3977
 Part no:43.01



LKW Max Power & Torque Ultra 15W-40
 ACEA E7; API CH-4/SJ; Cat ECF-1-a
 Cummins CES 20076/20077
 Deutz DQC III-10
 MAN M 3275-1
 MB 228.1; MTU Type 2
 Volvo VDS-2
 Part no: 09.04



LKW Max Power & Torque Fleet Line LSP 15W-40
 ACEA E7; API CH-4/SJ
 Meets the requirements of:
 MAN M 3275-1; MB 228.1
 Cat ECF-1-a
 Cummins CES 20076/20077
 Deutz DQC III-10; MTU Type 2
 Volvo VDS-2
 Part no: 09.01



Unifleet Ultra 15W40 TBN-16
 ACEA E7; API CI-4 / SL; Cat ECF-1-a / ECF-2; Cummins CES 20077/20078; Detroit Diesel 93K215; Deutz DQC III-18; DTFR 15B110; Global DHD-1; JASO DH-1; Mack EO-N/EO-M Plus; MAN M 3275-1; MB 228.3; MTU Type 2; Renault VI RLD-2; Volvo VDS-3; Allison C3, CAT TO-2; ZF 04C / 04P / 07C / 07D / 21K
 Part no: 43.06



LKW Max Power & Torque Ultra 15W-40
 ACEA E7; API CI-4 / SL; Cat ECF-1-a / ECF-2; Cummins CES 20077/20078; Detroit Diesel 93K215
 Deutz DQC III-18; DTFR 15B110; Global DHD-1; JASO DH-1; Mack EO-N/EO-M Plus; MAN M 3275-1; MB 228.3; MTU Type 2; Renault VI RLD-2; Volvo VDS-3
 Part no: 10.12-B



LKW Max Power & Torque Ultra 15W-40
 ACEA E7 API CI-4 / SL
 DTFR 15B110 (228.3) Mack EO-N, Renault VI RLD-2 Volvo VDS-3
 Meets the requirements of:
 Cat ECF-1-a / ECF-2
 Cummins CES 20077 / 20078
 Detroit Diesel 93K215 Deutz DQC III-18
 Global DHD-1 JASO DH-1
 Mack EO-M Plus MAN M 3275-1
 MB 228.3 MTU Type 2
 Allison C3, CAT TO-2
 ZF 04C / 04P / 07C / 07D / 21K
 Part no: 10.01



LKW Max Power & Torque LSP 15W-40
 ACEA E7, E9, E11 API CK-4 / SN Cat ECF-3; Cummins CES 20086 Detroit Diesel 93K222; Deutz DQC III-18 LA DTFR 15C100
 Ford WSS M2C171-F1 JASO DH-2
 Mack EOS-4.5 MAN M 3775 MB 228.31
 MTU Type 2.1 Renault VI RLD-3
 Volvo VDS-4.5 Allison TES-439
 Part no: 10.35



LKW Max Power & Torque Fleet Line LSP 15W-40
 ACEA E7, E9, E11; API CK-4 / SN Mack EOS-4.5; Renault VI RLD-3
 Volvo VDS-4.5; Meets the requirements of: Cat ECF-3; Cummins CES 20086; Detroit Diesel 93K222
 Deutz DQC III-18 LA; DTFR 15C100
 Ford WSS M2C171-F1; JASO DH-2
 MAN M 3775; MB 228.31
 MTU Type 2.1; Allison TES-439
 Part no: 10.11

Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque Fleet Line LSP 20W-50
 ACEA E7
 API CH-4/SJ
 Deutz DQC III-10
 MB 228.1
 Part no: 09.15



LKW Max Power & Torque Ultra 20W-50
 ACEA E7
 API CI-4 / SL
 Cummins CES 20077 / 20078
 Deutz DQC III-18
 DTFR 15B110
 Global DHD-1
 MB 228.3
 Part no: 10.04



Unifleet Ultra 20W50 TBN-16
 ACEA E7
 API CI-4 / SL
 Cummins CES 20077 / 20078
 Deutz DQC III-18
 DTFR 15B110
 Global DHD-1
 MB 228.3
 Part no: 43.07



LKW Max Power & Torque Fleet Line LSP 10W-30
 ACEA E7, E9, E11; API CK-4; Mack EOS-4.5; Renault VI RLD-3; Volvo VDS-4.5
 Meets the requirements of:
 Cat ECF-3; Cummins CES 20086
 Detroit Diesel 93K222; Deutz DQC III-18 LA; DTFR 15C100; Ford WSS M2C171-F1; MAN M 3775; MB 228.31
 MTU Type 2.1
 Part no: 10.33



LKW Max Power & Torque Ultra HS 10W-30
 ACEA A3/B4, E7 API CI-4 / SH Cat ECF-2
 Cummins CES 20077 / 20078 Deutz DQC III-18; DTFR 15B110 Global DHD-1 JASO DH-1; MAN M 3275-1 MB 228.3 MTU Type 2; Renault VI RLD-2 ZF 05K / 07D / 21K
 Part no: 10.30



LKW Max Power & Torque Fleet-force CI-4 15W-50
 ACEA A3/B4, E7
 API CI-4/SL
 DTFR 15B110
 MB 228.3
 Part no: 09.09-B



Tor Cargo LSP 10W30
 ACEA E6, E7, E8, E9, E11; API CK-4
 Mack EOS-4.5; Renault VI RLD-3
 Volvo VDS-4.5; Meets the requirements of: DTFR 15C110 / 15C120 / 15C100; Cat ECF-3; Cummins CES 20086
 DAF PSQL 2.1E LD; Detroit Diesel DFS 93K222; Deutz DQC IV-18 LA
 JASO DH-2; MAN M 3775; MB 228.51 / 228.52 / 228.31; MTU Type 3.1
 Part no: 43.04



HD Super Synthturbo Fleet Oil 30 CF
 ACEA E2
 API SG/CF
 MB 227.0/228.0
 MAN 270
 Part no: 07.03



HD Super Synthturbo Fleet Oil 40 CF
 ACEA E2
 API SG/CF
 MB 227.0/228.0
 MAN 270
 Part no: 07.04

Heavy Goods Vehicles Motor Oils



HD Super Synthturbo Fleet Oil 50
ACEA E2
API SG/CF
MB 227.0/228.0
MAN 270
Part no: 07.05



HD Fleet Oil SG/CF 70
ACEA E2
API SG/CF
MB 227.0/228.0
MAN 270
Part no: 07.11

2&4 Stroke Small Engine Motor Oils



4T Motorcycle FS 20W50
API SN
JASO MA2
JASO MA
Part no.12.06



4T Super 10W40
API SL
JASO MA2
JASO MA
Part no.12.27



4T Super 20W50
API SL
JASO MA2
JASO MA
Part no.12.29



4T Motorcycle HS 15W50
API SN
JASO MA2
JASO MA
Part no.12.03



4T Motorcycle HS 10W40
API SN
JASO MA2
JASO MA
Part no.12.01



4T HD FS 20W50
API SN
JASO MA2
JASO MA
Part no.12.07



4T Motorcycle HS 20W50
API SN
JASO MA2
JASO MA
Part no. 12.02



4T Motorcycle Synthetic 10W40
API SN
JASO MA2
JASO MA
Part no.12.19



4T Motorcycle Synthetic 5W50
API SN
JASO MA2
JASO MA
Part no.12.14

2&4 Stroke Small Engine Motor Oils



4T Motorcycle Synthetic 5W40

API SN
JASO MA2
JASO MA
Part no.12.16



4T Motorcycle Synthetic 10W60

API SN
JASO MA2
JASO MA
Part no.12.21



4T Motorcycle Synthetic 15W50

API SN
JASO MA2
JASO MA
Part no.12.23



4T Motorcycle FS 10W40

API SN
JASO MA2
JASO MA
Part no.12.04



4T Motorcycle FS 5W50

API SN
JASO MA2
JASO MA
Part no. 12.09



4T Motorcycle FS 15W50

API SN
JASO MA2
JASO MA
Part no.12.15



4T Motorcycle FS 15W50

API SN
JASO MA2
JASO MA
Part no.12.05



4T Motorcycle FS 20W50

API SN
JASO MA2
JASO MA
Part no.12.06



4T Motorcycle FSES 5W50

API SN
JASO MA2
JASO MA
Part no.12.24

2&4 Stroke Small Engine Motor Oils



4T Motorcycle FSES 20W50

API SN
JASO MA2
JASO MA
Part no.12.25



FS 2T Air Cooled Low Viscosity

API TC+
JASO FD (Low Smoke)
Husqvarna 226/Chainsaw
ISO-L-EGD
Piaggio Hexagon; TISI
Part no. 13.13



FS 2T Racing

API TC; JASO FD;
Husqvarna;
ISO-L-EGD
Piaggio; Hexagon
Part no.13.12



Two Stroke Jaso

API TC; JASO FC
ISO-L-EGC
TISI
Part no.13.05



FS 2T Air Cooled

API TC; JASO FD; Husqvarna
ISO-L-EGD; Piaggio Hexagon
Part no.13.03



Two Stroke Ashless

NMMA TC-W3
Part no.14.01



Two Stroke HS (Low Smoke)

API TC; JASO FD
Global GD
Husqvarna 272
ISO-L-EGD
2-Stroke DFI
Part no.13.02



Mineral Budget Two Stroke

API TC
Part no.13.06



Two Stroke ZTT

API TC
Part no.13.01

TRANSMISSION FLUIDS



ATF MULTI

Aisin Warner JWS 3309 / 3324 / AW-1; Allison C4 / TES-389 / TES-295, JASO 1-A; BMW 7045E / 8072B / LA2634 / LT71141; DTFR 13C100/110/120/140/160/170/180 / 38B100; Ford Mercon V / XL-12, GM Dexron IID / IIIG / IIH; Honda DW-1/ATF-Z1, Hyundai/Kia JWS 3314 / NWS 9638; Hyundai/Kia SP-II/SP-III/SP-IV/SP-IV M/SP-IV RR; MAN 339 Type L1/V2/ Z2/Z11, Mazda ATF M-III/M-V; MB 236.1/.2/236.3/236.5/236.6/236.7/236.9/236.10; MB 236.11/236.12/236.14/236.15/236.81/236.91/.93; Mitsubishi SP-II/SP-III/SP-IV/J2/J3; Nissan Matic D/J/K/S/W; Subaru ATF / HP, Suzuki 3314 / 3317; Toyota T/T-II/T-III/T-IV, Voith 55.6336; Volvo 97940 / 97341 (AT101) VW G 052 162 / 052 990 / 055 005 / 055 025; VW G 055 162 / 055 540 ZF TE-ML 04D/05L/09/11A/11B/14B/16L/17C/20B Part no. 21.17



ATF VI

Aisin Warner JWS 3309(T-IV)/3324(WS)/AW-1/AW-2; Allison C3/C4 / TES-389/468; BMW ATF 2/3+/6/7 / 7045E/8072B/LA2634/LT71141; Cat TO-2, Chrysler ATF+/+2+/+3; DTFR 13C100/120/140/150/170/38B100; Ford Mercon/LV/M2C138-CJ/166-H/922-A1/924-A/938-A; Fiat 9.55550-AV5/AV6; GM Dexron VI/II/III/IIIG/IIH / TASA; Honda ATF 3.0/3.1/DW-1/Z1(except in CVT) Hyundai/Kia SP-IV RR/M / JWS 3314/9638; Mazda M-III/A7; MB 236.1/2/3/236.5/236.7/236.8/236.9/236.41; Mitsubishi SP-II/SP-III/SP-IV/J2/J3/PA/MA1; Nissan Matic C/D/J/K/P/S/W; Porsche 3403-M115/T-IV, PSA B71 2340; Subaru ATF 5AT/HP, Suzuki ATF 3314/3317; Toyota D-II/D-III/T-III/T-IV/WS; Tesla Model S/3/X; Voith 55.6335.xx (G607), Volvo 97335/97340/1161540; VW G 052 025 / 052 055 / 052 162 / 052 990; VW G 053 001 / 053 025 / 055 005 / 055 025; VW G 055 162 / 055 540 / 060 162 ZF 3-/4-/6-/8-/9-speed / TE-ML 05L/09/11A/B/21L Part no. 21.12



ATF 7G

Allison C4 / TES-389 / TES-295; BMW 7045E / 8072B / LA2634 / LT71141; Chrysler ATF+/+2+/+3/+4; DTFR 13C110 / 13C140 / 13C150 / 13C170 / 13C180; Ford Mercon V / Mercon / WSS-M2C922-A1; GM Dexron II/IIID/IIIE/IIIG/IIH / TASA; Honda ATF-Z1 (except in CVT); Hyundai/Kia SP-II/SP-III/RED-1K, Isuzu ATF II/III; Jaguar JLM 20238/20292/21044, JASO M315 Type 1A; Mazda M-III/Type T-IV / JWS 3309; MB 236.5 / 236.6 / 236.7 / 236.8; MB 236.9 / 236.10 / 236.11 / 236.91 / 236.93; Mitsubishi SP-II/SP-III/J2, Nissan Matic D/J/K; Subaru ATF HP, Suzuki ATF 3314/3317; Toyota DII/T-T-III/T-IV, Volvo 97341 / 1161540 VW G 052 025 / 052 055; VW G 052 162 / 052 990 / 055 025; ZF TE-ML 11A / 11B Part no. 21.20



ATF DMM

Allison C4 / TES-389; Cat TO-2; DTFR 13C100 / 13C140 / 13C170 / 38B100; Ford Mercon / M2C138-CJ / 166-H; GM Dexron IID / IIE / IIIF / IIIG / IIH / TASA; MAN 339 Typ Z1 / V1 / Z2; MB 236.1 / 236.3 / 236.5 / 236.6; MB 236.7 / 236.9 / 236.10 / 236.93; Voith 55.6335 (G607); Volvo 97340 / 97341 (AT101); ZF TE-ML 02F/03 D/04D/09/11A/11B/14A/14B/16L/17C Part no. 21.02



ATF JP

Aisin Warner JWS 3309 / 3324 / AW-1; Allison C3/C4 / TES-228; BMW ATF 6 / 7045E/8072B/LA2634/LT71141; CAT-TO-2, Chrysler ATF+/+2+/+3; DTFR 13C100 / 13C140 / 13C150 / 13C170; Ford Mercon / M2C 138CJ / 166H / 922-A1 / 924-A; GM Dexron IID / IIE / IIIG / IIH, TASA; Honda DW-1 / ATF-Z1 (except in CVT); Hyundai/Kia SP-II/SP-III/SP-IV / JWS 3314/9638; Isuzu Besco ATF II/III, JASO M 315-2013 Type 1A; Mazda ATF M-V/M-III; MB 236.1/236.6/236.7/236.8/236.9/23 6.10/236.93; Mitsubishi SP-II/SP-III/SP-IV/J2/J3/PA/MA1; Nissan Matic C/D/J/K/S; Subaru ATF 5AT/HP, Suzuki 3314/3317; Toyota D-II/D-III/T-III/T-IV/WS, Volvo 1161540; VW G 055 025 / 052 162 / 055 005 / 060 162; ZF TE-ML 09 / 11A / 11B Part no. 21.09



MULTI Double Clutch Transmission Fluid

BMW DCTF-1 / 1+ / 2 / LT-5; Borg warner; Bugatti Veyron; Chrysler 68044345 EA & GA; DTFR 13C130; Ferrari TF DCT-F3; Fiat 9.55550-HE2 / MZ6; Ford WSS-M2C936-A / M2C218-A1 / M2C200-D2; Hyundai/Kia MB 236.21 / 236.22 / 236.24 / 236.25 / 239.21; Mitsubishi Dia-Queen SSTF-1; Porsche/ZF FFL-3; PSA 9734 S2; Renault EDC / DC4 / DW5 / DW6; Volvo 1161838 / 1161839 / D1 / D2; VW G 052 182 / 052 529 / 055 529; VW G 052 536 / 055 536 Part no. 33.03

TRANSMISSION FLUIDS



ATF 9G
MB 236.17
Part no. 21.06



ATF 15 LVB
MB 236.15
Part no. 21.04



ATF Long Life
Allison C4 / TES-389; Cat TO-2; DTFR 13C100 / 13C140 / 13C170
Ford Mercon / M2C138-CJ / 166-H; GM Dexron IID / IIE / IIIF / IIIG
/ IIH; MAN 339 Typ Z1 / V1 / Z2 / V2; MB 236.1/236.5/236.6/236
.7/236.9/236.10/236.93; Voith 55.6335 / 55.6336; Volvo 97340 /
97341; ZF TE-ML 02F/03D/04D/09/11A/11B/14A/14B/16L/17C
Part no. 21.18



ATF 8G
BMW 8322 2152426/
2289720(ATF3+)
Chrysler 68157995AA
Fiat 9.55550-AV5
Jaguar 02JDE 26444
Land Rover LR023288
VW G 060 162
Part no. 21.03



Hydraulic Transmission Fluid 540
API GL-4; Allison C4; Cat TO-2; Case MS 1210
CNH MAT 3540 / 3525; FNHA-2-C-200.00 / 201.00
Ford M2C86-C / M2C134-D; John Deere J20C/D
Massey Ferguson M1141 / M1143 / M1145
Valtra G2-08; Volvo WB 101 (97303)
ZF TE-ML 03E / 05F / 06K / 17E / 21F
Part no. 23.10



MULTI CVT Fluid
Chrysler/Dodge/Jeep NS-2 / Mopar CVTF+4; Daihatsu Amix CVTF
DC / DFC / DFE; Ford WSS-M2C928-A / Hybrid e-CVT; GM DEX-CVT /
1940713 / 1940714; Honda HMMF (without starting clutch) / HCF2 /
HEVF; Hyundai/Kia CVT-1 / SP III (CVT model); Jatco CVT 8 Hybrid
Mazda JWS 3320; MB 236.20; Mitsubishi SP-III (only CVT) / CVTF J1/
(ECO)J4/J4+; Mini Cooper EZL 799 / 799A; Nissan NS-1/2/2V/3 / N-CVT
Subaru ECVT / iCVT / iCVT FG / CVT-LV / NS-2; Subaru Lineartronic
High Torque (HT) CVTF; Subaru Lineartronic chain CVTF / CVTF II/III
Suzuki CVTF TC / 3320 / 4401 / NS-2 / Green 1/2/1V; Toyota CVTF TC /
FE / THSII; VW G 052 180 / G 052 516
Part no. 33.02



ATF 289
Allison C4
Cat TO-2
DTFR 13C140
Ford Mercon / M2C138-CJ / 166-H
GM Dexron IID
MAN 339 Typ Z1 / V1
MB 236.6 / 236.7
Voith 55.6335 (G607)
ZF TE-ML 09 / 11A / 14A
Part no. 21.01



ATF MULTI NEW
Aisin Warner JWS 3309 / 3324 / AW-1; Allison C4 / TES-389 / TES-295, JASO 1-A; BMW
7045E / 8072B / LA2634 / LT71141; DTFR 13C100/110/120/140/160/170/180 / 38B100;
Ford Mercon V / XL-12, GM Dexron IID / IIIG / IIH; Honda DW-1/ATF-Z1, Hyundai/Kia
JWS 3314 / NWS 9638; Hyundai/Kia SP-II/SP-III/SP-IV/SP-IV M/SP-IV RR; MAN 339 Type
L1/V2/Z2/Z11, Mazda ATF M-III/M-V; MB 236.1/.2/236.3/236.5/236.6/236.7/236.9/236.1
0; MB 236.11/236.12/236.14/236.15/236.81/236.91/.93; Mitsubishi SP-II/SP-III/SP-IV/J2/
J3; Nissan Matic D/J/K/S/W; Subaru ATF / HP, Suzuki 3314 / 3317; Toyota T/T-II/T-III/T-IV,
Voith 55.6336; Volvo 97940 / 97341 (AT101)
VW G 052 162 / 052 990 / 055 005 / 055 025; VW G 055 162 / 055 540
ZF TE-ML 04D/05L/09/11A/11B/14B/16L/17C/20B
Part no. 21.17



ATF FORD NEW
Ford M2C33-F/G
Ford M2C9007-AA
BorgWarner
Volvo 97330
Part no. 22.01

TRANSMISSION FLUIDS



ATF 7G LV NEW

Aisin Warner JWS 3309/3324/AW-1/AW-2, Allison C4; BMW 7045E/8072B/LA2634/LT71141/ATF3/3+/6/M-1375.4; Chrysler ATF+1/2/+3/+4, DTFR 13C110/140/150/170; Ford Mercon ULV/LV/V/SP / WSS-M2C922-A1 / M2C949-A; GM Dexron ULV/HP/VI/II/III/IIIG/IIIH/TASA; Honda DW-1/3.0/3.1/ATF-Z1 (except in CVT); Hyundai/Kia SP-II/-III/-IV/-IV RR/RED-1K/NWS 9638; Isuzu ATF II/III, Jaguar JLM 20238/20292/21044; JASO M315 Type 1A LV, Mazda FZ/M-III/Type T-IV; MB 236.5/236.6/236.7/236.8/236.9/236.10/236.11; MB 236.12/236.14/236.15/236.17/236.41/236.93; Mitsubishi SP-II/III/J2/J3/PA, Nissan D/J/K/S/W; Subaru HP, Suzuki ATF 3314/3317, PSA B71 2340; Toyota DII/T-III/T-IV/WS, Volvo 1161540; VW G 052 025 / 052 055 / 052 162; VW G 052 533 / 052 990; VW G 055 005 / 055 025 / 055 540 / 060 162; ZF 11A / 11B
Part no. 21.21



ATF Duralife HD NEW

DTFR 13C140 / 13C170
Ford Mercon; GM Dexron IID / IIIG / IIIH; MAN 339 V1 / V2 / V3 / Z1 / Z2 / Z3 / Z11 / Z12; MB 236.6 / 236.7 / 236.9; Voith 55.6335.xx / 55.6336.xx / 150.014524.xx; Volvo 97341 (AT101); ZF TE-ML 14A / 14B / 16R / 20B / 25B; ZF TE-ML 04D / 14C / 16M / 16S / 20C / 25C
Part no. 21.22



ATF Type A Suffix A NEW

ATF Type A Suffix A (TASA), ATF Dexron B
Allison C3
DTFR 13C120
Ford M2C41-A/B
MB 236.2
Part no. 22.02



MP Gear Oil 90
API GL-4; MIL-L-2105
Part no. 16.07



Gear Oil 90
API GL-1
Part no. 15.02



Gear Oil 140
API GL-1
Part no. 15.03



MP Gear Oil 80W
API GL-4; Mil-L-2105
Part no. 16.01



Uni Gear 85W140 LD/LS
API GL-4/GL-5/MT-1
MIL-L-2105D/MIL-L-PRF-2105E, SAE J2360
MAN 341 Z2 / 342 M2
Scania STO 1:0
ZF TE-ML
05C/07A/12M/16C/16D/21C
P > 1900 mg/kg (Liebherr)
Part no. 20.04



Export Gear Oil 80W90 GL-4
API GL-4
Part no. 16.10



Export Gear Oil 80W90 GL-5
API GL-5
Part no. 16.11



Uni Gear 75W80
API GL-4; MAN 341 Typ Z4
ZF TE-ML 01L / 02L / 16K
Meets the requirements of:
DAF Eaton Europe (extended drain); Iveco; Renault
Volvo 97307
ZF TE-ML 08 / 13 / 24A
Part no. 18.02

TRANSMISSION FLUIDS



Uni Gear 75W90 HS

API GL-4/5
MIL-L-2105
VW 501.50
Part no. 18.01



Semi Synthetic 75W90 GL-5

API GL-5
MIL-L-2105D
ZF TE-ML 07A/17B
Part no. 17.17



HD Gear Oil HS 75W90

API GL-4/5
MIL-L-2105
VW 501.50
Part no. 18.01



Uni Gear 75W80 LD

API GL-4/GL-5/MT-1
MIL-L-2105D/MIL-PRF-2105E, SAE J2360
ZF TE-ML 02B/17B
Part no. 18.12



UTTO WB HT

API GL-4
Allison C4
Case MS1207 / MS1209
Cat TO-2
John Deere J20A
Massey Ferguson M1141 / M1143 / M1145
Volvo WB 102 (97304)
ZF TE-ML 03E / 06K
Part no. 23.07



LD Gear Oil HS 75W140

API GL-4/GL-5/MT-1
MIL-L-2105D/MIL-PRF-2105E, SAE J2360
Scania STO 1:0
ZF TE-ML 05A/07A/12B/12N/16F/19C/21A
Part no. 18.13



Gear Oil 85W140 GL-5

API GL-5
Part no. 16.13

Marine Series Engine Oils

OUTBOARD RANGE



4T Marine Outboard 10W30

NMMA FC-W
Part no. 14.02



4T Marine Outboard 10W40

NMMA FC-W
Part no. 14.04



4T Marine Outboard 25W40

NMMA FC-W
Part no. 14.03



HD Skipper Marine Xtra 1240

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 12
Part no. 42.02



HD Skipper Marine HMS-1200 - 15W40

API SF/CC
CCMC G2/D1
MIL-L-46152B/C
Ford M2C153-C (SF/CC)
Ford M2C9011-A
GM 6085M
Part no. 03.03



HD Skipper Marine 1630

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.03



HD Skipper Marine 1230

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 12
Part no. 42.01



HD Skipper Marine 1640

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.04



HD Skipper Marine 2040

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.06

SKIPPER RANGE

Marine Series Engine Oils

SKIPPER RANGE



HD Captain Marine 3030

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.07



HD Captain Marine 3040

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.08



HD Captain Marine 4050

MAN Energy Solutions
Winterthur Gas & Diesel (WinGD)
Japan Engine Corporation (J-ENG)
Part no. 42.12



HD Captain Marine 4040

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 10
Part no. 42.09

CAPTAIN RANGE

