

New Products for 2026

Passenger Cars Motor Oils



GT Synth IQ Formula 10W40
 ACEA A3/B3
 API SL/CF
 MB 229.1
 VW 501.01/505.00
 Part no: 06.02



GT Synth Hi Power Pro 10W40
 API SL/CF
 ACEA A3/B4
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 80.13



GT Synth IQ Formula SN/CF 10W40
 ACEA A3/B4
 API **SP** / CF
 BMW Longlife-98
 MB 229.1
 VW 501.01 / 505.00
 Part no: 06.90



GT Synth IQ Formula 10W40
 ACEA A3/B4
 API **SP** / CF
 MB 229.3
 PSA B71 2300
 Renault RN0700 / RN0710
 VW 501.01 / 505.00
 Part no: 06.30



GT Synth Hi Power Pro 10W40
 API SN/CF
 ACEA A3/B4
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 80.04



GT Specialsynth S 10W40
 API **SP**
 Part no: 40.15

NEW PRODUCT 2026



GT Synth Hi Power Pro 10W40
 ACEA A3/B4
 API SN/CF
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 80.15



GT Specialsynth S 5W30
 API **SP** Resource Conserving
 ILSAC GF-6A
 Part no: 40.13

NEW PRODUCT 2026



GT Synth IQ Formula 5W30
 ACEA A3/B4
 API SN/CF
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 06.94

New Products for 2026

Passenger Cars Motor Oils



GT Synth IQ Formula 5W30

ACEA A5/B5
API SL/CF
Ford WSS-M2C913-A/B
Part no: 06.60



GT Synth Hi Power Pro 5W30

ACEA **C2/C3**
API SN
BMW Longlife-04
GM dexos 2
MB 229.52 / 229.51
Opel OV 040 1547 - D30
VW 505.01
Part no: 80.09



GT Synth IQ Formula 5W30

ACEA A3/B4
API **SP*** / CF
BMW Longlife-01
MB 229.5 / 229.3 / 226.5
Renault RN0700
VW 502.00 / 505.00
* = not-licensable due to phosphorus limit
Part no: 06.21



GT Synth IQ Formula 5W30

ACEA A5/B5, A1/B1
API SL/CF
Meets the requirements of:
Ford WSS-M2C913-D
Jaguar Land Rover STJLR.03.5003
Renault RN0700
VW VVC 53036
Part no: 06.55



GT Specialsynth D 5W30

ACEA **C2/C3**
API **SQ**
BMW Longlife-04
Fiat 9.55535-S1
GM dexos 2
MB 229.52 / 229.51 / 229.31
Opel OV 040 1547 - D30 / G30
VW 505.00 / 505.01
Part no: 40.16

NEW
PRODUCT
2026



GT Synth Hi Power Pro 5W30

ACEA **C3**
API SN
BMW Longlife-04
MB 229.52 / 229.51 / 229.31
Porsche C30
VW 504.00 / 507.00
Part no: 80.10



GT Synth IQ Formula 5W30

API **SQ** Resource Conserving
ILSAC GF-7A
Meets the requirements of: GM dexos 1 Gen 3
Opel OV 040 1547 - G30
Chrysler MS 6395
Fiat 9.55535-CR1
Ford WSS-M2C946-A/B1 / M2C961-A1 / M2C929-A
GM 6094M / 4718M; VW VVC 53034
Part no: 06.07



GT Synth Hi Power Pro 5W30

ACEA **C3**
API SN
BMW Longlife-04
MB 229.31/229.51
Porsche C30
VW 504.00/507.00
Part no: 80.17



GT Synth IQ Formula 5W30

ACEA **C2/C3** A5/B5
API **SQ**
PSA B71 2290
Meets the requirements of:
MB 229.52 / 229.51 / 229.31 / 226.52
Renault RN17 / RN0700 / RN0710
Part no: 06.83

New Products for 2026

Passenger Cars Motor Oils



GT Synth IQ Formula 5W30
 ACEA **C2/C3**; API **SQ**
 BMW Longlife-04
 Fiat 9.55535-S1
 GM dexos 2
 MB 229.52 / 229.51 / 229.31
 Opel OV 040 1547 - D30 / G30
 VW 505.00 / 505.01
 Part no: 06.85



GT Synth IQ Formula C2 5W30
 ACEA **C2**
 API SN/CF
 Fiat 9.55535-S1
 Renault RN0700
 Part no: 06.23



GT Synth IQ Formula 5W30
 ACEA **C2/C3**
 API **SP** MB-Approval 229.52 / 229.51 / 229.31
 BMW Longlife-04
 Meets the requirements of:
 GM dexos 2
 Opel OV 040 1547 - D30 / G30
 VW 505.00 / 505.01
 Part no: 06.54



GT Synth IQ Formula C1 5W30
 ACEA **C1**
 Jaguar Land Rover STJLR.03.5005
 Meets the requirements of:
 Ford WSS-M2C934-B
 Part no: 06.24



GT Specialsynth Extendo 5W30
 ACEA **C3**
 API SN
 Approved under VW 504.00 / 507.00
 Meets the requirements of:
 BMW Longlife-04
 MB 229.51 / 229.31
 Porsche C30
 Part no: 40.18

**NEW
 PRODUCT
 2026**



GT Synth IQ Formula 5W30
 ACEA **C2/C3**
 API **SQ**
 BMW Longlife-04
 MB-Approval 229.51 / 229.52 / 229.31
 Meets the requirements of:
 Opel OV 040 1547 - D30 / G30
 Fiat 9.55535-S1
 GM dexos 2
 VW 505.00 / 505.01
 Part no: 06.74



GT Synth IQ Formula C4 5W30
 ACEA **C3/C4**
 MB-Approval 229.51
 Meets the requirements of:
 MB 229.31 / 226.51
 Renault RN0720
 Part no: 06.34



GT Synth IQ Formula NF 5W30
 ACEA **C3**; API **SQ**
 Approved under VW 504.00 / 507.00
 MB-Approval 229.52 / 229.51
 BMW Longlife-04
 Meets the requirements of:
 MB 229.31
 Opel OV 040 1547 - D30 / G30
 Porsche C30
 Part no: 06.56



GT Synth IQ Formula 5W40
 ACEA A3/B4
 API SN/CF
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 06.95

New Products for 2026

Passenger Cars Motor Oils



GT Specialsynth S 5W40

API **SP**
Part no: 40.14

**NEW
PRODUCT
2026**



GT Synth Hi Power Pro 5W40

ACEA **C3**
API SN
BMW Longlife-04
MB 229.51
VW 505.01
Part no: 80.06



GT Synth IQ Formula 5W40

ACEA A3/B4; API **SP** / CF
BMW Longlife-01
Fiat 9.55535-M2; GM LL-B-025
MB 229.5 / 229.3 / 226.5
Porsche A40
PSA B71 2296
Renault RN0700 / RN0710
VW 502.00 / 505.00
Part no: 06.42



GT Synth IQ Formula 5W40

ACEA **C3**
API **SP**
BMW Longlife-04
MB 229.52 / 229.51 / 229.31
VW 505.00 / 505.01
Ford M2C917-A
Part no: 06.62



GT Synth IQ Formula 5W40

ACEA A3/B4; API **SP** / CF
Meets the requirements of:
MB 229.5 / 229.3 / 226.5
PSA B71 2296
Renault RN0700 / RN0710
VW 502.00 / 505.00
BMW Longlife-01; Fiat 9.55535-M2
GM LL-B-025; Porsche A40
Part no: 06.20



GT Synth Hi Power Pro 5W40

ACEA **C3**
API SN
BMW Longlife-04
MB 229.51
VW 505.01
Part no: 80.16



GT Synth IQ Formula 5W40

ACEA A3/B4; API **SP**/CF
Meets the requirements of:
BMW Longlife-01
MB 229.5 / 229.3 / 226.5
Opel GM-LL-B-025
Porsche A40
PSA B71 2296
Renault RN0700 / RN0710
VW 502.00 / 505.00 / 501.01
Part no: 06.75



GT Synth IQ Formula 5W40 NF

ACEA **C3**
API **SP**; BMW Longlife-04
MB-Approval 229.51
Meets the requirements of:
MB 229.52 / 229.31
VW 505.00 / 505.01
Ford M2C917-A
Part no: 06.04



GT Specialsynth ES 5W40

ACEA **C3**
API SN/CF
BMW Longlife-04
Fiat 9.55535-S2
Ford M2C917-A
GM dexos 2
MB 229.31/226.5
Renault RN0700/RN0710
VW 505.00/505.01
Part no: 06.64

New Products for 2026

Passenger Cars Motor Oils



GT Specialsynth X 5W40

ACEA **C3** API SN
Meets the requirements of:
BMW Longlife-04
MB 229.52 / 229.51 / 229.31
Porsche C40
VW 511.00
GM dexos 2
Renault RN0700 / RN0710
Part no: 40.03

NEW
PRODUCT
2026



GT Synth IQ Formula 0W30

ACEA A3/B4 API **SP*** / CF
BMW Longlife-01
MB 229.5 / 229.3 / 226.5
Renault RN0700
VW 502.00 / 505.00
*) API SN quality only; not-licensable
due to phosphorus-limit
Part no: 06.50



GT Synth IQ Formula 0W30

ACEA A3/B4
API **SP*** / CF
BMW Longlife-01
MB 229.5 / 229.3 / 226.5
Renault RN0700
VW 502.00 / 505.00
*) API SN quality only; not-licensable
due to phosphorus-limit
Part no: 06.68



GT Specialsynth NF 0W30

ACEA **C3**
API SN / CF
BMW Longlife-04
MB 229.52 / 229.51 / 229.31
Renault RN0700 / RN0710
Part no: 40.05

NEW
PRODUCT
2026



GT Synth IQ Formula 0W30

ACEA A5/B5
API SL
Volvo VCC 95200377
Part no: 06.52



GT Synth IQ Formula 0W30

Performance level
ACEA **C2**, A5/B5
API **SP**
Part no: 06.51



GT Synth IQ Formula 0W30

ACEA **C2**
Ford WSS-M2C950-A
Jaguar Land Rover STJLR.03.5007
Meets the requirements of:
VW VVC 53035
Part no: 06.05



GT Synth IQ Formula VW 0W30

ACEA **C3**
Approved under VW 504.00 / 507.00
BMW Longlife-04
MB-Approval 229.51
Meets the requirements of:
MB 229.52 / 229.31
Porsche C30
Part no: 06.44



GT Synth IQ Formula PSA 0W30

ACEA **C2**
API **SP**
Meets the requirements of:
PSA B71 2312 / 2302
Fiat 9.55535-GS1/DS1
Part no: 06.77

New Products for 2026

Passenger Cars Motor Oils



GT Synth IQ Formula 0W30

ACEA C2, A5/B5
 API **SP** Resource Conserving
 ILSAC GF-6A
 BMW Longlife-12 FE
 MB-Approval 229.61
 Meets the requirements of:
 DTFR 15D100
 Ford WSS-M2C950-A
 MB 227.61; VW VWC 53035
 Part no: 06.99



GT Synth IQ Formula 0W40

ACEA A3/B4
 API **SP** / CF
 BMW Longlife-01
 MB 229.5 / 229.3 / 226.5
 Porsche A40
 Renault RN0700 / RN0710
 VW 502.00 / 505.00
 Part no: 06.38



GT Specialsynth X 0W40

ACEA **C3**
 API SN
 BMW Longlife-04
 GM dexos 2
 MB 229.52 / 229.51 / 229.31
 Porsche C40
 Renault RN0700 / RN0710
 VW 511.00
 Part no: 40.17

NEW
PRODUCT
2026



GT Arctic Synth IQ Formula Synthetic 0W20

ACEA A1/B1
 API **SP*** / CF
 *) A= not-licensable due to phosphorus-limit
 Part no: 06.53



GT Synth IQ Formula 0W20

API **SQ** Resource Conserving
 ILSAC GF-7A
 Meets the requirements of:
 GM dexos 1 Gen 3
 Chrysler MS 6395
 Fiat 9.55535-CR1
 Ford WSS-M2C947-A/B1 / WSS-M2C962-A1
 GM 6094M
 Part no: 06.09



GT Synth IQ Formula 0W40

ACEA A3/B4; API SN
 Meets the requirements of:
 BMW Longlife-01
 Ford WSS-M2C937-A
 MB 229.3 / 229.5
 Porsche A40
 Renault RN0700/RN0710
 VW 502.00/505.00
 Part no: 06.78



GT Synth IQ Formula 0W20

ACEA **C5**,
 API **SP**
 Volvo VCC RBS0-2AE
 Part no: 06.89



GT Specialsynth P 0W20

ACEA **C5/C6**
 API **SP**
 PSA B71 2010
 Meets the requirements of:
 Fiat 9.55535-DM1/GSX
 Part no: 40.19

NEW
PRODUCT
2026



GT Specialsynth OV 0W20

ACEA **C5/C6**; API **SP** Resource Conserving
 ILSAC GF-6A; Jaguar Land Rover
 STJLR.03.5006; Volvo VCC RBS0-2AE
 Meets the requirements of:
 Ford WSS-M2C954-A1 / WSS-M2C947-B1 /
 WSS-M2C962-A1
 MB 229.71 / 229.72
 Opel OV 040 1547 - A20
 VW VWC 53057
 Chrysler MS-12145
 Fiat 9.55535-GSX
 Part no: 40.04

NEW
PRODUCT
2026

New Products for 2026

Passenger Cars Motor Oils



GT Specialsynth P 0W20

ACEA **C5/C6**

API **SP**

Ford WSS-M2C952-A1

Jaguar Land Rover STJLR.03.5006

Meets the requirements of

GM dexos D

MB 229.71

Opel OV 040 1547 - A20

Part no: 40.09

**NEW
PRODUCT
2026**



GT Synth IQ Formula 0W20

ACEA **C5/C6**; API **SQ** Resource Conserving

ILSAC GF-7A; BMW Longlife-17 FE+

Jaguar Land Rover STJLR.03.5006

MB-Approval 229.71 / 229.72

Meets the requirements of:

Ford WSS-M2C954-A1 / WSS-M2C947-B1 /

WSS-M2C962-A1; Opel OV 040 1547 - A20

VW VWC 53057; Chrysler MS-12145

Fiat 9.55535-GSX

Part no: 06.82



GT Specialsynth Extendo NF 0W20

ACEA **C5**

Approved under VW 508.00/509.00

Meets the requirements of:

Ford WSS-M2C956-A1

Porsche C20

Part no: 40.08

**NEW
PRODUCT
2026**



GT Synth IQ Formula 5W20

ACEA **C5**

API **SP**

Ford WSS-M2C948-B

Meets the requirements of:

Jaguar Land Rover STJLR.03.5004

Part no: 06.67



GT Synth IQ Formula 5W20

API **SQ** Resource Conserving

ILSAC GF-7A; GM dexos 1 Gen 3

Chrysler MS 6395

Fiat 9.55535-CR1

Ford WSS-M2C945-A/B1 / WSS-M2C960-A1

GM 6094M

Part no: 06.08



GT Specialsynth R 0W20

ACEA **C5/C6**

API **SP**

Meets the requirements of:

Jaguar Land Rover STJLR.03.5006

MB 229.71 / 229.72

Renault RN17 FE

Part no: 40.01

**NEW
PRODUCT
2026**



GT Synth IQ Formula 15W40

API **SF/CC**

CCMC G2/D1

Part no: 04.03



GT Synth IQ Formula 15W40

ACEA **A3/B4**

API **SL/CF**

MB 229.1

VW 501.01/505.00

Part no: 06.33



GT Synth IQ Formula 15W40

ACEA **A3/B4**

API **SP** / **CF**

MB 229.1

VW 501.01 / 505.00

Part no: 05.01

New Products for 2026

Passenger Cars Motor Oils



GT Specialsynth S 10W30

API **SP** Resource Conserving
ILSAC GF-6A
Part no: 40.12

**NEW
PRODUCT
2026**



GT Synth IQ Formula 20W50

ACEA A3/B4
API SL/CF
MB 229.1
VW 501.01/505.00
Part no: 05.12



GT Synth IQ Formula 20W50

API SF/CC
CCMC G2/D1
Part no: 04.05



GT Synth IQ Formula 15W50

ACEA A3/B4
API SL/CF
MB 229.1
VW 501.01/505.00
Part no: 05.07



GT Synth IQ Formula 10W30

ACEA A3/B4
API **SP*** / CF
MB 229.1
VW 501.01 / 505.00
*) API SM quality only; not-licensable
due to phosphorus-limit
Part no: 06.49



GT Synth IQ Formula 10W30

ACEA A3/B4
API **SP*** / CF
MB 229.1
VW 502.00 / 505.00
*) API SN quality only; not-licensable
due to phosphorus-limit
Part no: 06.84



GT Synth IQ Formula 5W50

ACEA A3/B4
API **SP** / CF
MB 229.3
Porsche A40
VW 502.00 / 505.00
Part no: 06.31



GT Fully Synthetic IQ Formula 5W50

ACEA A3/B4
API **SP** / CF
MB 229.3
Porsche A40
VW 502.00 / 505.00
Part no: 06.12



GT Fully Synthetic IQ Formula 10W60

ACEA A3/B4
API **SP** / CF
Part no: 06.16



New Products for 2026

Passenger Cars Motor Oils



GT Synth IQ Formula 10W60
 ACEA **C3**
 API SN/CF
 Part no: 06.66



RS Fully Racing Synthetic Cup Extreme Oil 5W50
 ACEA A3/B4
 API SN/CF
 Part no: 06.76



GT Specialsynth 0W8
 JASO GLV-1
 Part no: 40.10



GT Synth IQ Formula NF 0W16
 API **SQ** Resource Conserving
 ILSAC GF-7B
 Part no: 06.88



RS Fully Racing Synthetic Cup Extreme Oil 10W60
 ACEA A3/B4
 API SN/CF
 Part no: 06.71



Racing Oil 10W50
 ACEA A3/B4
 API SN/CF
 Part no: 40.11
 4



S High Performance Intelligence SAE 30
 API SF/CC
 CCMC G2/D1
 MIL-L-46152B/C
 Ford M2C153-C (SF/CC)
 Ford M2C9011-A
 GM 6085M
 Part no: 03.03



S High Performance Intelligence SAE 40
 API SF/CC
 CCMC G2/D1
 MIL-L-46152B/C
 Ford M2C153-C (SF/CC)
 Ford M2C9011-A
 GM 6085M
 Part no: 03.04



S High Performance Intelligence SAE 50
 API SF/CC
 CCMC G2/D1
 MIL-L-46152B/C
 Ford M2C153-C (SF/CC)
 Ford M2C9011-A
 GM 6085M
 Part no: 03.05

CARBO OIL

When only the best will do

GERMANY



New Products for 2026

Passenger Cars Motor Oils



Brake Fluid DOT 4
FMVSS 116 DOT 4
SAE J1703, ISO 4925
Part no: 25.01



Brake Fluid DOT 4 RACING
FMVSS 116 DOT 4
SAE J1703, ISO 4925
Part no: 25.01



Heavy Duty & Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque Ultra HS 10W-40

ACEA A3/B4, E7; API CI-4 / SL; Cat ECF-1-a / ECF-2; Cummins CES 20077 / 20078; Detroit Diesel 93K215; Deutz DQC III-18; DTFR 15B110; Global DHD-1 JASO DH-1; Mack EO-N; MAN M 3275-1 MB 228.3; MTU Type 2; Renault VI RLD-2 Volvo VDS-3; ZF 04C / 05K / 07C / 07D / 21K
Part no: 10.15



LB Truck Line LSP 10W40

ACEA E7, E9, E11; API CK-4 / SN Cat ECF-3; Cummins CES 20086 Detroit Diesel 93K222; Deutz DQC III-18 LA; DTFR 15C100; Ford WSS M2C171-F1 JASO DH-2; Mack EOS-4.5; MAN M 3775 MB 228.31; MTU Type 2.1; Renault VI RLD-3; Volvo VDS-4.5
Part no: 43.02



LKW Max Power & Torque LSP 10W-40

ACEA E6, E7, E8, E9, E11; API CI-4 Cat ECF-1-a; Cummins CES 20076 / 20077; DAF Extended Drain; Deutz DQC IV-18 LA; DTFR 15C110; Iveco 18-1804 TLS E9 / M 3271-3; JASO DH-2 Mack EO-N; MAN M 3477 / M 3271-1 MB 228.51; MTU Type 3.1 Renault VI RLD-2 / RXD / RGD Volvo VDS-3
Part no: 10.22



LB Turbosynth NF 10W40

ACEA E4, E7; API CI-4; Cummins CES 20078 / 20077; Deutz IV-18 DTFR 15B120; Mack EO-N; MAN M 3277; MB 228.5; MTU Type 3 Renault VI RLD-2; Scania LDF-3 Volvo VDS-3
Part no: 43.05



LKW Max Power & Torque LSP 10W-40

ACEA E6, E7, E8, E9, E11; API CI-4 Deutz DQC IV-18 LA; Mack EO-N DTFR 15C110 (228.51); NATO-code O-1180, TL 9150-0107/4; Renault VI RLD-2; Volvo VDS-3; Meets the requirements of: Cat ECF-1-a Cummins CES 20076 / 20077; JASO DH-2; MAN M 3477 / M 3271-1 / M 3271-3; MB 228.51; MTU Type 3.1 DAF Extended Drain; Iveco 18-1804 TLS E9; Renault VI RXD / RGD
Part no: 10.13



LKW Max Power & Torque Ultra HS 10W-40

ACEA A3/B4, E7; API CI-4 / SL; Meets the requirements of: Cat ECF-1-a / ECF-2; Cummins CES 20077 / 20078; Detroit Diesel 93K215; Deutz DQC III-18; DTFR 15B110; Global DHD-1; JASO DH-1; MAN M 3275-1 Mack EO-N; MB 228.3; MTU Type 2 Renault VI RLD-2; Volvo VDS-3 ZF 04C / 05K / 07C / 07D / 21K
Part no: 10.03



LKW Max Power & Torque LSP 10W-40

ACEA E6, E7, E8, E9, E11; API CK-4; DTFR 15C110 (228.51); Mack EOS-4.5; Renault VI RLD-3; Volvo VDS-4.5; Meets the requirements of: Cat ECF-3; Cummins CES 20086; Deutz DQC IV-18 LA; Detroit Diesel 93K222; DTFR 15C120 / 15C100 JASO DH-2; MAN M 3477 / M 3775 MB 228.51 / 228.52 / 228.31; MTU Type 3.1; DAF Extended Drain Iveco 18-1804 TLS E9
Part no: 10.38



LKW Max Power & Torque NF 10W-40

ACEA E4, E7; API CI-4; Mack EO-N Renault VI RLD-2; Scania LDF-3 Volvo VDS-3; Meets the requirements of: Cummins CES 20078 / 20077; Deutz IV-18; DTFR 15B120; MAN M 3277; MB 228.5; MTU Type 3
Part no: 10.20



LKW Max Power & Torque 5W20

ACEA E4, E6, E7, E8, E9, E11; API CK-4 Mack EOS 4.5; Renault VI RLD-3; Volvo VDS-4.5; Meets the requirements of: Cat ECF-3; Cummins CES 20086 / 20081 DAF PSQL 2.1E LD / Extended Drain Detroit Diesel 93K222; Deutz DQC IV-18 LA; DTFR 15C110 / 15C120 / 15C100 JASO DH-2; MAN M 3775 / M 3477 / M 3271-1; MB 228.51 / 228.52 / 228.31 MTU Type 3.1 / 2.1; Scania Low Ash
Part no: 43.03

Heavy Duty & Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque Ultra 5W-30
 ACEA F01; API FA-4 / SN Plus
 DTFR 15C130 (228.61); Mack EOS-5
 Renault RLD-5; Volvo VDS-5
 Meets the requirements of:
 Cummins CES 20087
 Detroit Diesel DFS 93K223
 Ford WSS-M2C214-B1
 JASO DH-2
 MB 228.61
 Part no: 10.08



LKW Max Power & Torque 5W20
 MAN M 3977
 Scania LDF-5
 Part no:43.01



LKW Max Power & Torque Ultra 15W-40
 ACEA E7; API CH-4/SJ; Cat ECF-1-a
 Cummins CES 20076/20077
 Deutz DQC III-10
 MAN M 3275-1
 MB 228.1
 MTU Type 2
 Volvo VDS-2
 Part no: 09.04



LKW Max Power & Torque Ultra 15W-40
 ACEA E7; API CI-4 / SL; DTFR 15B110
 (228.3); Deutz DQC III-18
 Mack EO-N, Renault VI RLD-2
 Volvo VDS-3; Meets the requirements
 of: Cat ECF-1-a / ECF-2; Cummins CES
 20077 / 20078; Detroit Diesel 93K215
 Global DHD-1; JASO DH-1; Mack
 EO-M Plus; MAN M 3275-1; MB 228.3
 MTU Type 2; Allison C3, CAT TO-2
 ZF 04C / 04P / 07C / 07D / 21K
 Part no: 10.01



Unifleet Ultra 15W40 TBN-16
 ACEA E7; API CI-4 / SL; Cat ECF-1-a /
 ECF-2; Cummins CES 20077/20078
 Detroit Diesel 93K215; Deutz DQC III-
 18; DTFR 15B110; Global DHD-1
 JASO DH-1; Mack EO-N/EO-M Plus
 MAN M 3275-1; MB 228.3
 MTU Type 2; Renault VI RLD-2
 Volvo VDS-3; Allison C3, CAT TO-2
 ZF 04C / 04P / 07C / 07D / 21K
 Part no: 43.06



LKW Max Power & Torque Ultra 15W-40
 ACEA E7; API CI-4 / SL; Cat ECF-1-a /
 ECF-2; Cummins CES 20077/20078
 Detroit Diesel 93K215; Deutz DQC III-
 18; DTFR 15B110; Global DHD-1
 JASO DH-1; Mack EO-N/EO-M Plus
 MAN M 3275-1; MB 228.3; MTU Type 2
 Renault VI RLD-2; Volvo VDS-3
 Allison C3, CAT TO-2
 ZF 04C / 04P / 07C / 07D / 21K
 Part no: 10.12-B



LKW Max Power & Torque LSP 15W-40
 ACEA E7, E9, E11; API CK-4 / SN; Cat
 ECF-3; Cummins CES 20086; Detroit
 Diesel 93K222; Deutz DQC III-18 LA
 DTFR 15C100; Ford WSS M2C171-F1
 JASO DH-2; Mack EOS-4.5; MAN M
 3775; MB 228.31; MTU Type 2.1
 Renault VI RLD-3; Volvo VDS-4.5
 Allison TES-439
 Part no: 10.35



LKW Max Power & Torque Fleet Line LSP 15W-40
 ACEA E7, E9, E11; API CK-4 / SN
 Mack EOS-4.5; Renault VI RLD-3
 Volvo VDS-4.5; Meets the require-
 ments of: Cat ECF-3; Cummins CES
 20086; Detroit Diesel 93K222
 Deutz DQC III-18 LA; DTFR 15C100
 Ford WSS M2C171-F1; JASO DH-2
 MAN M 3775; MB 228.31
 MTU Type 2.1; Allison TES-439
 Part no: 10.11



LKW Max Power & Torque Fleet Line LSP 20W-50
 ACEA E7
 API CH-4/SJ
 Deutz DQC III-10
 MB 228.1
 Part no: 09.15

Heavy Duty & Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque Ultra 20W-50

ACEA E7; API CI-4 / SL
Cat ECF-1-a
Cummins CES 20077 / 20078
Deutz DQC III-18; DTFR 15B110
Global DHD-1
MAN M 3275-1
MB 228.3
Part no: 10.04



Unifleet Ultra 20W50 TBN-16

ACEA E7; API CI-4 / SL
Cat ECF-1-a
Cummins CES 20077 / 20078
Deutz DQC III-18
DTFR 15B110
Global DHD-1
MAN M 3275-1
MB 228.3
Part no: 43.07



LKW Max Power & Torque Fleet-force CI-4 15W-50

ACEA A3/B4, E7
API CI-4/SL
DTFR 15B110
MB 228.3
Part no: 09.09-B



Tor Cargo LSP 10W30

ACEA E6, E7, E8, E9, E11; API CK-4
Mack EOS-4.5; Renault VI RLD-3; Volvo VDS-4.5; Meets the requirements of: DTFR 15C110 / 15C120 / 15C100; Cat ECF-3; Cummins CES 20086; DAF PSQL 2.4 LD / 2.1E LD; Detroit Diesel DFS 93K222; Deutz DQC IV-18 LA JASO DH-2; MAN M 3775
MB 228.51 / 228.52 / 228.31
MTU Type 3.1
Part no: 43.04



LKW Max Power & Torque Fleet Line LSP 10W-30

ACEA E7, E9, E11; API CK-4; Mack EOS-4.5; Renault VI RLD-3; Volvo VDS-4.5
Meets the requirements of: Cat ECF-3
Cummins CES 20086; Detroit Diesel 93K222; Deutz DQC III-18 LA
DTFR 15C100; Ford WSS M2C171-F1
MAN M 3775; MB 228.31
MTU Type 2.1
Part no: 10.33



LKW Max Power & Torque Ultra HS 10W-30

ACEA A3/B4, E7; API CI-4 / SH; Cat ECF-2
Cummins CES 20077 / 20078; Deutz DQC III-18; DTFR 15B110; Global DHD-1
JASO DH-1; MAN M 3275-1; MB 228.3
MTU Type 2; Renault VI RLD-2
ZF 05K / 07D / 21K
Part no: 10.30



HD Super Synthturbo Fleet Oil 30 CF

ACEA E2
API SG/CF
MB 227.0/228.0
MAN 270
Part no: 07.03



HD Super Synthturbo Fleet Oil 40 CF

ACEA E2
API SG/CF
MB 227.0/228.0
MAN 270
Part no: 07.04



HD Super Synthturbo Fleet Oil 50

ACEA E2
API SG/CF
MB 227.0/228.0
MAN 270
Part no: 07.05



HD Fleet Oil SG/CF 70

ACEA E2
API SG/CF
MB 227.0/228.0
MAN 270
Part no: 07.11

Motorbikes and Scooters 2&4 Stroke Small Engine Motor Oils



4T Motorcycle FS 20W50
API SP
JASO MA2
Part no.12.06



4T Super 10W40
API SN
JASO MA2
Part no.12.27



4T Super 20W50
API SN
JASO MA2
Part no.12.29



4T Motorcycle Synthetic 5W50
API SP
JASO MA2
Part no.12.14



4T Motorcycle Synthetic 10W40
API SP
JASO MA2
Part no.12.19



4T HD FS 20W50
API SP
JASO MA2
Part no.12.07



4T Motorcycle Synthetic 5W40
API SP
JASO MA2
Part no.12.16



4T Motorcycle Synthetic 10W60
API SP
JASO MA2
Part no.12.21



4T Motorcycle Synthetic 15W50
API SP
JASO MA2
Part no.12.23

Motorbikes and Scooters 2&4 Stroke Small Engine Motor Oils



4T Motorcycle FS 10W40
API SP
JASO MA2
Part no.12.04



4T Motorcycle FS 5W50
API SP
JASO MA2
Part no. 12.09



4T Motorcycle FS 5W40
API SP
JASO MA2
Part no.12.15



FS 2T Air Cooled Low Viscosity
API TC+
JASO FD (Low Smoke)
Husqvarna 226/Chainsaw
ISO-L-EGD
Piaggio Hexagon
TISI
Part no. 13.13



4T Motorcycle FS 15W50
API SP
JASO MA2
Part no.12.05



4T Motorcycle FS 20W50
API SP
JASO MA2
Part no.12.06



FS 2T Racing
API TC
JASO FD
Husqvarna
ISO-L-EGD
Piaggio Hexagon
Part no.13.12



FS 2T Air Cooled
API TC
JASO FD
Husqvarna
ISO-L-EGD
Piaggio Hexagon
Part no.13.03



Two Stroke Ashless
NMMA TC-W3
Part no.14.01

CARBO OIL

When only the best will do

GERMANY

ON TRACK, ON THE ROAD, IN YOUR CAR. www.carbooil.de

Motorbikes and Scooters 2&4 Stroke Small Engine Motor Oils



Two Stroke HS (Low Smoke)

API TC
JASO FD
Global GD
Husqvarna 272
ISO-L-EGD
2-Stroke DFI
Part no.13.02



Mineral Budget Two Stroke

API TC
Part no.13.06



Two Stroke ZTT

Part no.13.01

TRANSMISSION FLUIDS



ATF MULTI

Aisin Warner JWS 3309 / 3324 / AW-1; Allison C4 / TES-389 / TES-295, JASO 1-A; BMW 7045E / 8072B / LA2634 / LT71141; DTFR 13C100/110/120/140/160/170/180 / 38B100; Ford Mercon V / XL-12, GM Dexron IID / IIIG / IIH; Honda DW-1/ATF-Z1, Hyundai/Kia JWS 3314 / NWS 9638; Hyundai/Kia SP-II/SP-III/SP-IV/SP-V M/SP-IV RR; MAN 339 Type L1/V2/Z2/Z11, Mazda ATF M-III/M-V; MB 236.1/2/236.3/236.5/236.6/236.7/236.9/236.10; MB 236.11/236.12/236.14/236.15/236.81/236.91/93; Mitsubishi SP-II/SP-III/SP-IV/J2/J3 Nissan Matic D/J/K/S/W; Subaru ATF / HP, Suzuki 3314 / 3317; Toyota T/T-II/T-III/T-IV, Voith 55.6336; Volvo 97940 / 97341 (AT101); VW G 052 162 / 052 990 / 055 005 / 055 025; VW G 055 162 / 055 540
ZF TE-ML 04D/05L/09/11A/11B/14B/16L/17C/20B
Part no. 21.17



ATF VI

Aisin Warner JWS 3309(T-IV)/3324(WS)/AW-1/AW-2; Allison C3/C4 / TES-389/468; BMW ATF 2/3+/6/7 / 7045E/8072B/LA2634/LT71141; Cat TO-2, Chrysler ATF+/+2/+3; DTFR 13C100/120/140/150/170/38B100; Ford Mercon/LV/M2C138-CJ/166-H/922-A1/924-A/938-A; Fiat 9.55550-AV5/AV6; GM Dexron VI/II/III/IIIG/IIH / TASA; Honda ATF 3.0/3.1/DW-1/Z1(except in CVT) Hyundai/Kia SP-IV RR/M / JWS 3314/9638; Mazda M-III/A7; MB 236.1/2/3/236.5/236.7/236.8/236.9/236.41; Mitsubishi SP-II/SP-III/SP-IV/J2/J3/PA/MA1; Nissan Matic C/D/J/K/P/S/W; Porsche 3403-M115/T-IV, PSA B71 2340; Subaru ATF 5AT/HP, Suzuki ATF 3314/3317; Toyota D-II/D-III/T-III/T-IV/WS; Tesla Model S/3/X; Voith 55.6335.xx (G607), Volvo 97335/97340/1161540 VW G 052 025 / 052 055 / 052 162 / 052 990; VW G 053 001 / 053 025 / 055 005 / 055 025; VW G 055 162 / 055 540 / 060 162
ZF 3-/4-/6-/8-/9-speed / TE-ML 05L/09/11A/B/21L
Part no. 21.12



ATF 7G

Allison C4 / TES-389 / TES-295 / TES-668; BMW 7045E / 8072B / LA2634 / LT71141 Chrysler ATF+/+2/+3/+4; DTFR 13C110 / 13C140 / 13C150 / 13C170 / 13C180 Ford Mercon V / Mercon / WSS-M2C922-A1; GM Dexron II/IIID/IIIE/IIIG/IIH / TASA Honda ATF-Z1 (except in CVT); Hyundai/Kia SP-II/SP-III/RED-1K, Isuzu ATF II/III Jaguar JLM 20238/20292/21044, JASO M315 Type 1A; Mazda M-III/Type T-IV / JWS 3309 MB 236.5 / 236.6 / 236.7 / 236.8; MB 236.9 / 236.10 / 236.11 / 236.91 / 236.93 Mitsubishi SP-II/SP-III/J2, Nissan Matic D/J/K; Subaru ATF HP, Suzuki ATF 3314/3317 Toyota DII/T-T-III/T-IV, Volvo 97341 / 1161540; VW G 052 025 / 052 055 VW G 052 162 / 052 990 / 055 025; ZF TE-ML 11A / 11B
Part no. 21.20



ATF DMM

Aisin Warner JWS 3309(T-IV); Allison C4 / TES-389; BMW 7045E / 8072B / LA2634 / LT71141; Cat TO-2; DTFR 13C100 / 13C110 / 13C140 / 13C170 / 38B100; Ford Mercon / M2C138-CJ / 166-H GM Dexron IID / IIE / IIIF / IIIG / IIH / TASA; Hyundai/Kia/Mitsubishi SP-III; MAN 339 Typ Z1 / V1 / Z2; MB 236.1 / 236.3 / 236.5 / 236.6 MB 236.7 / 236.9 / 236.10 / 236.11 / 236.93; Nissan Matic D/J/K Toyota T-III / T-IV; Voith 55.6335 (G607); Volvo 97340 / 97341 (AT101) / 1161540; VW G 052 025 / 052 090 / 052 162
ZF TE-ML 02F/03D/04D/09/11A/11B/14A/14B/16L/17C
Part no. 21.02



MULTI Double Clutch Transmission Fluid

BMW DCTF-1 / 1+ / 2 / LT-5; Borg warner; Bugatti Veyron; Chrysler 68044345 EA & GA; DTFR 13C130; Ferrari TF DCT-F3; Fiat 9.55550-HE2 Ford WSS-M2C936-A / M2C218-A1; Hyundai/Kia; MB 236.21 / 236.22 / 236.24 / 236.25 / 239.21 / 23; Mitsubishi Dia-Queen SSTF-1; Porsche/FZ FFL-3; PSA 9734 S2; Renault EDC / DC4 / DW5 / DW6; Volvo 1161838 / 1161839 / D1 / D2; VW G 052 182 / 052 524 / 052 529
VW G 052 536 / 055 529 / 055 536
Part no. 33.03



ATF 9G

Aisin Warner AW-2
BMW 83 22 2 413 477 (ATF7)
Mazda ATF A7
MB 236.15 / 236.16 / 236.17
Nissan Matic P
Ford Mercon ULV / M2C949-A
GM Dexron ULV ATF
VW G 053 001
Part no. 21.06

TRANSMISSION FLUIDS



ATF 15 LVB
MB 236.15
Part no. 21.04



ATF Long Life
Allison C4 / TES-389; Cat TO-2
DTFR 13C100 / 13C140 / 13C170
Ford Mercon / M2C138-CJ / 166-H
GM Dexron IID / IIE / IIIF / IIIG / IIHH
MAN 339 Typ Z1 / V1 / Z2 / V2
MB 236.1/236.5/236.6/236.7/236.9/236.10
/236.93; Voith 55.6335 / 55.6336
Volvo 97340 / 97341; ZF TE-ML 02F/03D/0
4D/09/11A/11B/14A/14B/16L/17C
Part no. 21.18



MULTI CVT Fluid
Chrysler/Dodge/Jeep NS-2 / Mopar CVTF+4; Daihatsu Amix CVTF
DC / DFC / DFE; Ford WSS-M2C928-A / Hybrid e-CVT; GM DEX-CVT /
1940713 / 1940714; Honda HMMF (without starting clutch) / HCF2 /
HEVF; Hyundai/Kia CVT-1 / SP III (CVT model); Jatco CVT 8 Hybrid
Mazda JWS 3320; MB 236.20; Mitsubishi SP-III (only CVT) / CVTF J1/
(ECO)J4/J4+; Mini Cooper EZL 799 / 799A; Nissan NS-1/2/2V/3 / N-CVT
Subaru ECVT / iCVT / iCVT FG / CVT-LV / NS-2; Subaru Lineartronic
High Torque (HT) CVTF; Subaru Lineartronic chain CVTF / CVTF II/III
Suzuki CVTF TC / 3320 / 4401 / NS-2 / Green 1/2/1V
Toyota CVTF TC / FE / THSII; VW G 052 180 / G 052 516
Part no. 33.02



ATF 289
Allison C4
Cat TO-2
DTFR 13C140
Ford Mercon / M2C138-CJ / 166-H
GM Dexron IID
MAN 339 Typ Z1 / V1
MB 236.6 / 236.7
Voith 55.6335 (G607)
ZF TE-ML 09 / 11A / 14A
Part no. 21.01



ATF 8G
BMW 83 22 2 152 426 / 83 22 2
289 720 (ATF3+)
Chrysler 68157995AA
Fiat 9.55550-AV5
Honda Type 3.1
Jaguar 02JDE 26444
Land Rover LR023288
VW G 060 162
Part no. 21.03



Hydraulic Transmission Fluid 540
API GL-4; Allison C4; Cat TO-2; Case MS 1210
CNH MAT 3540 / 3525; FNHA-2-C-200.00 / 201.00
Ford M2C86-C / M2C134-D; John Deere J20C/D
Massey Ferguson M1141 / M1143 / M1145
Valtra G2-08; Volvo WB 101 (97303)
ZF TE-ML 03E / 05F / 06K / 17E / 21F
Part no. 23.10



ATF MULTI NEW
Aisin Warner JWS 3309 / 3324 / AW-1; Allison C4 / TES-389 / TES-295, JASO 1-A; BMW 7045E / 8072B / LA2634 / LT71141
DTFR 13C100/110/120/140/160/170/180 / 38B100; Ford Mercon V / XL-12, GM Dexron IID / IIIG / IIHH; Honda DW-1/
ATF-Z1, Hyundai/Kia JWS 3314 / NWS 9638; Hyundai/Kia SP-II/SP-III/SP-IV/SP-IV M/SP-IV RR; MAN 339 Type L1/V2/Z2/
Z11, Mazda ATF M-III/M-V; MB 236.1/2/236.3/236.5/236.6/236.7/236.9/236.10; MB 236.11/236.12/236.14/236.15/236.81
/236.91/93; Mitsubishi SP-II/SP-III/SP-IV/J2/J3; Nissan Matic D/J/K/S/W; Subaru ATF / HP; Suzuki 3314 / 3317; Toyota T/T-
II/T-III/T-IV, Voith 55.6336; Volvo 97940 / 97341 (AT101); VW G 052 162 / 052 990 / 055 005 / 055 025
VW G 055 162 / 055 540; ZF TE-ML 04D/05L/09/11A/11B/14B/16L/17C/20B
Part no. 21.17



ATF FORD NEW
Ford M2C33-F/G
Ford M2C9007-AA
BorgWarner
Volvo 97330
Part no. 22.01

TRANSMISSION FLUIDS



ATF 7G LV NEW

Aisin Warner JWS 3309/3324/AW-1/AW-2, Allison C4; BMW 7045E/8072B/LA2634/LT71141/ATF3/3+/6/M-1375.4; Chrysler ATF+/+2+/+3+/+4, DTFR 13C110/140/150/170; Ford Mercon ULV/LV/V/SP / WSS-M2C922-A1 / M2C949-A; GM Dexron ULV/HP/VI/II/III/IIIG/IIIH/ TASA Honda DW-1/3.0/3.1/ATF-Z1 (except in CVT); Hyundai/Kia SP-II-/III-/IV-/IV RR/RED-1K/NWS 9638; Isuzu ATF II/III, Jaguar JLM 20238/20292/21044; JASO M315 Type 1A LV, Mazda FZ/M-III/Type T-IV; MB 236.5/236.6/236.7/236.8/236.9/236.10/236.11; MB 236.12/236.14/236.15 /236.17/236.41/236.93; Mitsubishi SP-II/III/J2/J3/PA, Nissan D/J/K/S/W; Subaru HP, Suzuki ATF 3314/3317, PSA B71 2340; Toyota DII/T-III/T-IV/W5, Volvo 1161540; VW G 052 025 / 052 055 / 052 162; VW G 052 533 / 052 990; VW G 055 005 / 055 025 / 055 540 / 060 162 ZF 11A / 11B
Part no. 21.21



ATF Duralife HD NEW

DTFR 13C140 / 13C170
Ford Mercon; GM Dexron IID / IIIG / IIIH; MAN 339 V1 / V2 / V3 / Z1 / Z2 / Z3 / Z11 / Z12
MB 236.6 / 236.7 / 236.9
Voith 55.6335.xx / 55.6336.xx / 150.014524.xx; Volvo 97341 (AT101); ZF TE-ML 14A / 14B / 16R / 20B / 25B; ZF TE-ML 04D / 14C / 16M / 16S / 20C / 25C
Part no. 21.22



ATF Type A Suffix A NEW

ATF Type A Suffix A (TASA), ATF Dexron B
Allison C3
DTFR 13C120
Ford M2C41-A/B
MB 236.2
Part no. 22.02



MP Gear Oil 90

API GL-4
MIL-L-2105
Part no. 16.07



Gear Oil 90

API GL-1
Part no. 15.02



Gear Oil 140

API GL-1
Part no. 15.03



MP Gear Oil 80W

API GL-4
Mil-L-2105
Part no. 16.01



Uni Gear 85W140 LD/LS

API GL-4/GL-5/MT-1
MIL-L-2105D/MIL-L-PRF-2105E, SAE J2360
MAN 341 Z2 / 342 M2
Scania STO 1:0
ZF TE-ML
05C/07A/12M/16C/16D/21C
P > 1900 mg/kg (Liebherr)
Part no. 20.04



Export Gear Oil 80W90 GL-4

API GL-4
Part no. 16.10



Export Gear Oil 80W90 GL-5

API GL-5
Part no. 16.11



Uni Gear 75W80

API GL-4; MAN 341 Typ Z4
ZF TE-ML 01L / 02L / 16K
Meets the requirements of:
DAF; Eaton Europe (extended drain); Iveco; Renault
Volvo 97307; ZF TE-ML 02B / 08 / 13 / 24A
Part no. 18.02

TRANSMISSION FLUIDS



Uni Gear 75W90 HS

API GL-4/5
MIL-L-2105
VW 501.50
Part no. 18.01



Semi Synthetic 75W90 GL-5

API GL-5
MIL-L-2105D
ZF TE-ML 07A/17B
Part no. 17.17



HD Gear Oil HS 75W90

API GL-4/5
MIL-L-2105
VW 501.50
Part no. 18.01



Uni Gear 75W80 LD

API GL-4 / GL-5 / MT-1
MIL-L-2105D / MIL-PRF-2105E, SAE J2360
ZF TE-ML 17B
Part no. 18.12



UTTO WB HT

API GL-4
Allison C4
Case MS1207 / MS1209
Cat TO-2
John Deere J20A
Massey Ferguson M1141 / M1143 / M1145
Volvo WB 102 (97304)
ZF TE-ML 03E / 06K
Part no. 23.07



LD Gear Oil HS 75W140

API GL-4 / GL-5 / MT-1
MIL-L-2105D / MIL-PRF-2105E, SAE J2360
Scania STO 1:0 / 2:0 A
ZF TE-ML 05A / 07A / 12B / 12N / 16F / 19C / 21A
Part no. 18.13



Gear Oil 85W140 GL-5

API GL-5
Part no. 16.13

Marine Series Engine Oils

OUTBOARD RANGE



4T Marine Outboard 10W30

NMMA FC-W
Part no. 14.02



4T Marine Outboard 10W40

NMMA FC-W
Part no. 14.04




4T Marine Outboard 25W40

NMMA FC-W
Part no. 14.03




HD Skipper Marine Xtra 1240

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 12
Part no. 42.02



HD Skipper Marine HMS-1200 - 15W40

API SF/CC
CCMC G2/D1
MIL-L-46152B/C
Ford M2C153-C (SF/CC)
Ford M2C9011-A
GM 6085M
Part no. 03.03




HD Skipper Marine 1630

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.03



HD Skipper Marine 1230

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 12
Part no. 42.01



HD Skipper Marine 1640

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.04



HD Skipper Marine 2040

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.06

SKIPPER RANGE

Marine Series Engine Oils

SKIPPER RANGE




HD Captain Marine 3030

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.07



HD Captain Marine 3040

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.08



HD Captain Marine 4050

MAN Energy Solutions
Winterthur Gas & Diesel (WinGD)
Japan Engine Corporation (J-ENG)
Part no. 42.12



HD Captain Marine 4040

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 10
Part no. 42.09

CAPTAIN RANGE

